


Let *safety stand* tall.
Forever.





Designed for safety

For over four decades V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. And now we are taking our next quantum leap. Harnessing the learnings, insights and experience of four decades it will be our endeavour to understand human lives and its relationship with the tools and appliances that he uses. And then to evolve a seamless experience with thoughtful engineered products in our quest to enriching consumer lives.

V-Guard offers a wide range of products built for day to day modern living. Domestic Switch Gears that ensure complete, foolproof safety is just another step towards this vision. V-Guard switch gears are available with more than 10000 authorized dealers and 250 distributors located across 19 states.

They are engineered to detect overcurrents due to both overload and faulty power supply, and interrupt the supply to prevent damage. Designed and developed by V-Guard's ISO 9001:2008 certified and DSIR recognized R&D, these domestic switch gears are made from high-quality components, quality checked at all stages through the manufacturing process and equipped with latest technology and advanced features to deliver superior performance.

Salient Features



Rugged and Highly reliable Switch Mechanism for long service



State of the art Arc Runner System



DB's are suitable for flush and surface mounting

Miniature Circuit Breaker (MCB)

Voltage fluctuations should never concern you, that's just why V-Guard brings you a range of Miniature Circuit Breakers. V-Guard's MCBs will make sure all your electrical appliances are safe from any potential voltage problem.

- High quality moulded casing
- Improved and rugged design of operating mechanism
- A state-of-the-art arc runner system

Bigger Terminal Holders

Equipped with 35 Sq.mm terminal holder, which is best in class and more reliable.

Operating Lever

Delivers optimum haptic feedback while operating.

Inscription Window

Helps the end user to detect the faulty circuit path and easily eliminate faulty equipment/appliance.



Conformity with Standards

Bi-Stable Din Clip

Innovative din clip delivers convenience at peek.

SINGLE POLE | 10 kA - B TYPE



Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A SP B ELEGNA	3002088	241
10	MCB 10A SP B ELEGNA	3002087	241
16	MCB 16A SP B ELEGNA	3002086	241
20	MCB 20A SP B ELEGNA	3002085	241
25	MCB 25A SP B ELEGNA	3002084	241
32	MCB 32A SP B ELEGNA	3002083	241

Std Pack 12 Number | Jumbo Packaging 144 Number | # MRP Per Number
HSN Code: 8536

SINGLE POLE | 10 kA - C TYPE



Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A SP C ELEGNA	3002082	264
10	MCB 10A SP C ELEGNA	3002081	264
16	MCB 16A SP C ELEGNA	3002080	264
20	MCB 20A SP C ELEGNA	3002079	264
25	MCB 25A SP C ELEGNA	3002078	264
32	MCB 32A SP C ELEGNA	3002077	264
40	MCB 40A SP C ELEGNA	3002076	596
63	MCB 63A SP C ELEGNA	3002075	677

Std Pack 12 Number | Jumbo Packaging 144 Number | # MRP Per Number
HSN Code: 8536

SINGLE POLE + NEUTRAL | 10 kA - C TYPE



Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A SPN C ELEGNA	3002257	819
10	MCB 10A SPN C ELEGNA	3002074	819
16	MCB 16A SPN C ELEGNA	3002073	819
20	MCB 20A SPN C ELEGNA	3002072	819
25	MCB 25A SPN C ELEGNA	3002071	819
32	MCB 32A SPN C ELEGNA	3002070	819
40	MCB 40A SPN C ELEGNA	3002069	1177
63	MCB 63A SPN C ELEGNA	3002068	1261

Std Pack 6 Number | Jumbo Packaging 72 Number | # MRP Per Number
HSN Code: 8536

DOUBLE POLE | 10 kA - C TYPE



IS/IEC 60898-1
CM/L 0006521260

Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A DP C ELEGNA	3002067	856
10	MCB 10A DP C ELEGNA	3002066	856
16	MCB 16A DP C ELEGNA	3002065	856
20	MCB 20A DP C ELEGNA	3002064	856
25	MCB 25A DP C ELEGNA	3002063	856
32	MCB 32A DP C ELEGNA	3002062	856
40	MCB 40A DP C ELEGNA	3002061	1240
63	MCB 63A DP C ELEGNA	3002060	1361

Std Pack 6 Number | Jumbo Packaging 72 Number | # MRP Per Number
HSN Code: 8536

THREE POLE | 10 kA - C TYPE



IS/IEC 60898-1
CM/L 0006521260

Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A TP C ELEGNA	3002059	1201
10	MCB 10A TP C ELEGNA	3002058	1201
16	MCB 16A TP C ELEGNA	3002057	1201
20	MCB 20A TP C ELEGNA	3002056	1201
25	MCB 25A TP C ELEGNA	3002055	1201
32	MCB 32A TP C ELEGNA	3002054	1201
40	MCB 40A TP C ELEGNA	3002053	1682
63	MCB 63A TP C ELEGNA	3002052	1904

Std Pack 4 Number | Jumbo Packaging 48 Number | # MRP Per Number
HSN Code: 8536

THREE POLE + NEUTRAL | 10 kA - C TYPE



IS/IEC 60898-1
CM/L 0006521260

Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A TPN C ELEGNA	3002278	1530
10	MCB 10A TPN C ELEGNA	3002051	1530
16	MCB 16A TPN C ELEGNA	3002050	1530
20	MCB 20A TPN C ELEGNA	3002049	1530
25	MCB 25A TPN C ELEGNA	3002048	1530
32	MCB 32A TPN C ELEGNA	3002047	1530
40	MCB 40A TPN C ELEGNA	3002046	2090
63	MCB 63A TPN C ELEGNA	3002045	2259

Std Pack 3 Number | Jumbo Packaging 36 Number | # MRP Per Number
HSN Code: 8536

FOUR POLE | 10 kA - C TYPE



IS/IEC 60898-1
CM/L 0006521260

Rating (A)	Model	Code	MRP (₹)#
6	MCB 6A FP C ELEGNA	3002044	1587
10	MCB 10A FP C ELEGNA	3002312	1587
16	MCB 16A FP C ELEGNA	3002043	1587
20	MCB 20A FP C ELEGNA	3002042	1587
25	MCB 25A FP C ELEGNA	3002041	1587
32	MCB 32A FP C ELEGNA	3002040	1587
40	MCB 40A FP C ELEGNA	3002039	2163
63	MCB 63A FP C ELEGNA	3002038	2355

Std Pack 3 Number | Jumbo Packaging 36 Number | # MRP Per Number
HSN Code: 8536

Isolators



DOUBLE POLE (DP)			
Rating (A)	Model	Code	MRP (₹)#
40	ISO 40A DP ELEGNA	3002037	487
63	ISO 63A DP ELEGNA	3002036	655
100	ISO 100A DP	3002378	849

Std Pack 6 Number | Jumbo Packaging 72 Number | # MRP Per Number
HSN Code: 8536



TRIPPLE POLE (TP)			
Rating (A)	Model	Code	MRP (₹)#
40	ISO 40A TP ELEGNA	3002035	968
63	ISO 63A TP ELEGNA	3002034	1104

Std Pack 4 Number | Jumbo Packaging 48 Number | # MRP Per Number
HSN Code: 8536

FOUR POLE (FP)			
Rating (A)	Model	Code	MRP (₹)#
40	ISO 40A FP ELEGNA	3002033	1076
63	ISO 63A FP ELEGNA	3002032	1114
100	ISO 100A FP	3002380	1330

Std Pack 3 Number | Jumbo Packaging 36 Number | # MRP Per Number
HSN Code: 8536

PROTECTION DEVICES

Residual Current Circuit Breaker (RCCB)

TWO POLE



IS/IEC 61008-1
CM/L 0006631772

30mA			
Rating (A)	Model	Code	MRP (₹)#
25	RCCB 25A DP 30mA INVIDIA	3000525	2831
40	RCCB 40A DP 30mA INVIDIA	3000522	2955
63	RCCB 63A DP 30mA INVIDIA	3000519	3998
100mA			
25	RCCB 25A DP 100mA INVIDIA	3000524	2799
40	RCCB 40A DP 100mA INVIDIA	3000521	2885
63	RCCB 63A DP 100mA INVIDIA	3000518	3875
100	RCCB 100A DP 100mA INVIDIA	3003534	5023
300mA			
25	RCCB 25A DP 300mA INVIDIA	3000523	2799
40	RCCB 40A DP 300mA INVIDIA	3000520	2885
63	RCCB 63A DP 300mA INVIDIA	3001442	3875

Std Pack 6 Number | Jumbo packaging 24 Number | # MRP Per Number | HSN Code: 8536
RCCB 100A DP 100mA INVIDIA: Std Pack 5 Number | Jumbo packaging 30 Number

FOUR POLE



IS/IEC 61008-1
CM/L 0006631772

30mA			
Rating (A)	Model	Code	MRP (₹)#
25	RCCB 25A FP 30mA INVIDIA	3000517	3514
40	RCCB 40A FP 30mA INVIDIA	3000515	3627
63	RCCB 63A FP 30mA INVIDIA	3000512	4100
100mA			
25	RCCB 25A FP 100mA INVIDIA	3000516	3444
40	RCCB 40A FP 100mA INVIDIA	3000514	3481
63	RCCB 63A FP 100mA INVIDIA	3000511	4063
100	RCCB 100A FP 100mA INVIDIA	3003141	5479
300mA			
25	RCCB 25A FP 300mA INVIDIA	3001441	3444
40	RCCB 40A FP 300mA INVIDIA	3000513	3481
63	RCCB 63A FP 300mA INVIDIA	3000510	4063

Std Pack 3 Number | Jumbo packaging 12 Number | # MRP Per Number | **HSN Code: 8536**
RCCB 100A FP 100mA INVIDIA: Std Pack 3 Number | Jumbo packaging 18 Number

Automatic Changeover with Current Limiter (ACCL)



A changeover device transfers the load from main power supply to the generator automatically upon failure of the main power supply. It also functions as a load limiter monitoring the generator's power supply to decrease strain on the generator.

Mains 30A for all models	Rating (A)	Model	Code	MRP (₹)#
	0.5	ACCL 0.5A SPN	1505095	1955
	1	ACCL 1A SPN	1505096	1955
	1.5	ACCL 1.5A SPN	1505097	1955
	2.5	ACCL 2.5A SPN	1505098	1955
	3	ACCL 3A SPN	1505099	1955
	4	ACCL 4A SPN	1505100	1955
	5	ACCL 5A SPN	1505101	1955
	6	ACCL 6A SPN	1505102	1955

Rating (A)	Model	Code	MRP (₹)#
8	ACCL 8A SPN	1505103	1955
9	ACCL 9A SPN	1505104	1955
10	ACCL 10A SPN	1505105	1955
15	ACCL 15A SPN	1505106	1955
20	ACCL 20A SPN	1505107	1955
25	ACCL 25A SPN	1505108	1955
30	ACCL 30A SPN	1505109	1955

Std Pack 18 Number | # MRP Per Number
HSN Code: 8536

SOLAR PRODUCTS



DC MCB | 10 kA - C TYPE

DOUBLE POLE / 500V DC

NEW



Rating (A)	Model	Code	MRP (₹)#
16A	MCB 16A C 500V DC	3001395	1387
20A	MCB 20A C 500V DC	3007964	1387
25A	MCB 25A C 500V DC	3007963	1387
32A	MCB 32A C 500V DC	3006996	1387

Std Pack 6 Number | Jumbo packaging 72 Number | # MRP Per Number
HSN Code: 8536

FOUR POLE / 1000V DC

NEW



Rating (A)	Model	Code	MRP (₹)#
20A	MCB 20A C 1000V DC	3008052	2163
25A	MCB 25A C 1000V DC	3008051	2163
32A	MCB 32A C 1000V DC	3008050	2163

Std Pack 3 Number | Jumbo packaging 36 Number | # MRP Per Number
HSN Code: 8536

Fuse & Fuse Holder

NEW



The purpose of the V-Guard PV fuse family is to protect photovoltaic modules, strings, or arrays, and the cables that link them, against reverse over-current and short circuits and to reduce safety risks.

- High breaking Capacity: for faults up to 20 kA.
- High reliability: The fuse characteristics do not degrade with the passage of time.
- Enhanced system longevity through durable construction.

Rating	Model	Code	MRP (₹)#	Std. Packing
20A	FUSE & HOLDER 20A 1000V DC INVIDIA	3008442	510	12 NUMBER
32A	FUSE & HOLDER 32A 1000V DC INVIDIA	3003499	510	12 NUMBER

Jumbo packaging 144 Number | # MRP Per Number
HSN Code: 8536

Surge Protection Device

V-Guard SPDs introduced safety for the major components like inverters, arrays, equipment in combiner boxes, and communications system from overvoltage caused by indirect lightning strikes and switching surges. Both AC and DC side of the inverter and other critical component should be equipped with surge protection.

- Tested and Certified by NABL.
- High operating voltages 1200Vdc/600Vdc/320Vac.
- High Discharge Current: maximum discharge current I_{max}: 40kA.

DC SPD Type 2

NEW



Rating	Model	Code	MRP (₹)#	Std. Packing
600V DC	SPD 2P 600V DC INVIDIA	3003500	2142	6 NUMBER

SPD 2P Jumbo packaging 72 Number|# MRP Per Number
HSN Code: 8536

NEW



Rating	Model	Code	MRP (₹)#	Std. Packing
600V DC	SPD 3P 600V DC INVIDIA	3008126	2703	4 NUMBER
1200VDC	SPD 3P 1200V DC INVIDIA	3008127	3009	4 NUMBER

SPD 3P Jumbo packaging 48 Number|# MRP Per Number
HSN Code: 8536

AC SPD Type 2

NEW



Rating	Model	Code	MRP (₹)#	Std. Packing
320V AC	SPD 2P 320V AC INVIDIA	3003501	2040	6 NUMBER

SPD 2P Jumbo packaging 72 Number|# MRP Per Number
HSN Code: 8536

Rating	Model	Code	MRP (₹)#	Std. Packing
320V AC	SPD 4P 320V AC INVIDIA	3008125	4927	3 NUMBER

SPD 4P Jumbo packaging 36 Number|# MRP Per Number
HSN Code: 8536

Miniature Change Over Switch (MCOS)

DOUBLE POLE



Rating (A)	Model	Code	MRP (₹)#
25	MCOS 25A DP 2W	3002725	1234
40	MCOS 40A DP 2W	3002729	1350
63	MCOS 63A DP 2W	3002731	1718

Std Pack 6 Number | Jumbo packaging 36 Number | # MRP Per Number

HSN Code: 8536

FOUR POLE



Rating (A)	Model	Code	MRP (₹)#
25	MCOS 25A FP 2W	3002726	2237
40	MCOS 40A FP 2W	3002730	2720
63	MCOS 63A FP 2W	3002732	3477

Std Pack 3 Number | Jumbo packaging 18 Number | # MRP Per Number

HSN Code: 8536

Phase Selector Rotary Switch



It consists of three (single phase) change over switches, each connected to one of the three phases. The single phase loads are distributed over the three outgoing phase connections. It helps to fight the common problem of phase cut in a three phase connection having single phase loads.

Rating (A)	Model	Code	MRP (₹)#
40	ROTARY SWITCH 1P 3W OFF 40A	1505782	955
63	ROTARY SWITCH 1P 3W OFF 63A	1505789	1088

Std Pack 10 Number | # MRP Per Number

HSN Code: 8536

MCCB

V-Guard is taking your safety to the next level with its new range of MCCBs. It comes with the following features:

- Range from 63A to 160A (3P/4P).
- 4P with 100% neutral protection.
- $I_{cs} = 100\%$ of I_{cu} .
- Double break contact system for high breaking capacity till 25kA.
- Current limiting design for faster arc quenching.
- Conformance to IS/IEC 60947-2.
- Positive isolation to ensure safety.
- Double insulation for enhanced safety.
- No Load-Line Bias.
- Thermal magnetic release: Variable thermal setting (0.8-1 x rated current)
Fixed magnetic setting (10 x rated current)
- ON-OFF-TRIP Indication.

25kA MCCB INVIDIA

THREE POLE



3 POLE			
Rating (A)	Model	Code	MRP (₹)#
63	MCCB 63A 25KA TP F3 INVIDIA	3003174	5548
100	MCCB 100A 25KA TP F3 INVIDIA	3003173	5548
125	MCCB 125A 25KA TP F3 INVIDIA	3003172	7063
160	MCCB 160A 25KA TP F3 INVIDIA	3003171	8633

Jumbo packaging 16 Number | # MRP Per Number
HSN Code: 8536

FOUR POLE



4 POLE			
Rating (A)	Model	Code	MRP (₹)#
63	MCCB 63A 25KA FP F3 INVIDIA	3003170	7112
100	MCCB 100A 25KA FP F3 INVIDIA	3003169	7112
125	MCCB 125A 25KA FP F3 INVIDIA	3003143	8890
160	MCCB 160A 25KA FP F3 INVIDIA	3003142	10539

Jumbo packaging 12 Number | # MRP Per Number
HSN Code: 8536

10kA MCCB ELEGNA

THREE POLE



3 POLE			
Rating (A)	Model	Code	MRP (₹)#
63	MCCB 63A 10KA TP F2 ELEGNA	3006413	2805
100	MCCB 100A 10KA TP F2 ELEGNA	3006412	2836
125	MCCB 125A 10KA TP F2 ELEGNA	3006411	4335

Jumbo packaging 16 Number | # MRP Per Number
HSN Code: 8536

FOUR POLE

NEW



4 POLE			
Rating (A)	Model	Code	MRP (₹)#
63	MCCB 63A 10KA FP F2 ELEGNA	3006416	3723
100	MCCB 100A 10KA FP F2 ELEGNA	3006415	3774
125	MCCB 125A 10KA FP F2 ELEGNA	3006414	5090

Jumbo packaging 12 Number | # MRP Per Number
HSN Code: 8536

SWITCH FUSE UNIT



SWITCH FUSE UNIT					
Category	Rating (A)	Model	Code	MRP (₹)#	Std. Packing
DP	16A	SFU 16A 240V DP INVIDIA	1505951	795	10 NUMBER
	32A	SFU 32A 240V DP INVIDIA	1505949	1861	10 NUMBER
TPN	32A	SFU 32A 415V TPN INVIDIA	3001013	2618	4 NUMBER
	63A	SFU 63A 415V TPN INVIDIA	3001012	5937	2 NUMBER
	100A	SFU 100A 415V TPN INVIDIA	3001011	10588	1 NUMBER

MRP Per Number | HSN Code: 8537

Modular plug and socket



Rating	Model	Code	MRP (₹)#	Std. Packing
16A	DB 16A SP MODULAR PLUG SOCKET INVIDIA	3001237	981	10 NUMBER

MRP Per Number | HSN Code: 8536

Mini MCB DP with Enclosure - Smartstart



Rating	Model	Code	MRP (₹)#	Std. Packing
32A	SMARTSTART 32A DP C	3001341	513	25 NUMBER

MRP Per Number | HSN Code: 8536


Distribution Boards

INVIDIA

MOST ADVANCED DISTRIBUTION BOARD



MAGNETIC
DOOR LOCKING




REMOVABLE
PAN ASSEMBLY



REMOVABLE
INTERMITTENT
DOOR



DETACHABLE
GLAND PLATE &
RIGID BOX



SPN DOUBLE DOOR DBs



SPN DOUBLE DOOR				
No. of ways /IC	Model	Code	MRP (₹)#	Std. Packing
8	DB SPN 8W HORI DD INVIDIA	1504573	2881	4 NUMBER
10	DB SPN 10W HORI DD INVIDIA	1504569	3171	4 NUMBER
12	DB SPN 12W HORI DD INVIDIA	1504570	3358	4 NUMBER
14	DB SPN 14W HORI DD INVIDIA	1504571	3626	1 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR DBs



TPN DOUBLE DOOR WITH 8 IC				
No. of ways/IC	Model	Code	MRP (₹)#	Std. Packing
4/8	DB TPN 4W HORI DD INVIDIA	1504654	4654	1 NUMBER
6/8	DB TPN 6W HORI DD INVIDIA	1504655	6053	1 NUMBER
8/8	DB TPN 8W HORI DD INVIDIA	1504656	7884	1 NUMBER

MRP Per Number
HSN Code: 8537

PHASE SELECTOR VERTICAL DBs

(with rotary switches, duly wired & provision for 8W I/C)



PHASE SELECTOR WITH 40 A SWITCH				
No. of ways/IC & Rating(A)	Model	Code	MRP (₹)#	Std. Packing
4/8 & 40A	DB PH SEL 4W 40A V DD INVIDIA	1504647	10384	1 NUMBER
6/8 & 40A	DB PH SEL 6W 40A V DD INVIDIA	1504649	10993	1 NUMBER
8/8 & 40A	DB PH SEL 8W 40A V DD INVIDIA	1504651	11511	1 NUMBER

PHASE SELECTOR WITH 63 A SWITCH				
4/8 & 63A	DB PH SEL 4W 63A V DD INVIDIA	1504648	12201	1 NUMBER
6/8 & 63A	DB PH SEL 6W 63A V DD INVIDIA	1504650	12551	1 NUMBER
8/8 & 63A	DB PH SEL 8W 63A V DD INVIDIA	1504652	13033	1 NUMBER

PHASE SELECTOR WITH 40A SWITCH				
4/8 & 40A	DB PH SEL 4W 40A V DD GRPL03	1503789	12389	1 NUMBER
6/8 & 40A	DB PH SEL 6W 40A V DD GRPL03	1503790	12683	1 NUMBER
8/8 & 40A	DB PH SEL 8W 40A V DD GRPL03	1503791	13804	1 NUMBER

PHASE SELECTOR WITH 63A SWITCH				
4/8 & 63A	DB PH SEL 4W 63A V DD GRPL03	1503792	13931	1 NUMBER
6/8 & 63A	DB PH SEL 6W 63A V DD GRPL03	1503793	14216	1 NUMBER
8/8 & 63A	DB PH SEL 8W 63A V DD GRPL03	1503794	14500	1 NUMBER
12/8 & 63A	DB PH SEL 12W 63A V DD GRPL03	1503974	16905	1 NUMBER

MRP Per Number
HSN Code: 8537

VTPN - DOUBLE DOOR VERTICAL DBs



VERTICAL TPN-DOUBLE DOOR				
No. of ways /IC	Model	Code	MRP (₹)#	Std. Packing
4/8	DB VTPN 4W V DD INVIDIA	3003462	10236	1 NUMBER
6/8	DB VTPN 6W V DD INVIDIA	3003461	12051	1 NUMBER
8/8	DB VTPN 8W V DD INVIDIA	3003460	12806	1 NUMBER

MRP Per Number
HSN Code: 8537

VTPN MCCB INCOMER DBs (160A)



VTPN MCCB INCOMER DBs 160A				
No. of ways/IC & Rating(A)	Model	Code	MRP (₹)#	Std. Packing
4/160A	DB VTPN 4W 160A V DD MCCB IC INVIDIA	3000497	13433	1 NUMBER
6/160A	DB VTPN 6W 160A V DD MCCB IC INVIDIA	3000495	15259	1 NUMBER
8/160A	DB VTPN 8W 160A V DD MCCB IC INVIDIA	3000491	16271	1 NUMBER
12/160A	DB VTPN 12W 160A V DD MCCB IC INVIDIA	3000650	22174	1 NUMBER

MRP Per Number
HSN Code: 8537

MCCB ENCLOSURE



VTPN MCCB INCOMER DBs 160A				
No. of ways/IC & Rating(A)	Model	Code	MRP (₹)#	Std. Packing
160A	DB MCCB ENCLOSURE 160A INVIDIA	3001576	2180	1 NUMBER

MRP Per Number
HSN Code: 8537


SEVEN SEGMENT DBs



SEVEN SEGMENT DBs WITH 8 IC				
No. of ways/IC	Model	Code	MRP (₹)#	Std. Packing
4/4/8	DB 7SEG 4W 4/8 V DD INVIDIA	1504904	10712	1 NUMBER
6/4/8	DB 7SEG 6W 4/8 V DD INVIDIA	1504905	12758	1 NUMBER
8/4/8	DB 7SEG 8W 4/8 V DD INVIDIA	1504906	16405	1 NUMBER

MRP Per Number
HSN Code: 8537


INVIDIA SPN ACRYLIC DOOR DBs



REVERSIBLE OUTER
TRANSPARENT
DOOR




FABRICATED OUT OF
PC & ABS MATERIAL



REMOVABLE
INTERMITTENT
DOOR



SPN INVIDIA FR AD DOUBLE DOOR DBs



SPN FR ACRYLIC DOOR DBs				
No. of ways/IC	Model	Code	MRP (₹)#	Std. Packing
4/6	DB SPN 4/6W HORI FR AD INVIDIA	1505220	1521	10 NUMBER
7/9	DB SPN 7/9W HORI FR AD INVIDIA	1505221	1864	8 NUMBER
10/12	DB SPN 10/12W HORI FR AD INVIDIA	1505222	2163	5 NUMBER
14/16	DB SPN 14/16W HORI FR AD INVIDIA	1505223	2571	5 NUMBER
17/19	DB SPN 17/19W HORI FR AD INVIDIA	1505224	2893	5 NUMBER

MRP Per Number
HSN Code: 8537

ELEGNA

EXTRAORDINARY DISTRIBUTION BOARD



MAGNETIC
DOOR LOCKING




REMOVABLE
INTERMITTENT
DOOR



REVERSIBLE OUTER
MAGNETIC DOOR



DETACHABLE
GLAND PLATE &
RIGID BOX



Magnetic
Locking

Removable
Intermittent
Door

Removable
gland plate

Isolated N-Link
for Inverter
connection

Double line
insertion mark

Cement
protection
mask

SPN DOUBLE DOOR DBs



SPN DOUBLE DOOR				
No. of ways/IC	Model	Code	MRP (₹)#	Std. Packing
4	DB SPN 4W HORI DD ELEGNA	3002288	1737	6 NUMBER
6	DB SPN 6W HORI DD ELEGNA	3002287	1871	6 NUMBER
8	DB SPN 8W HORI DD ELEGNA	3002286	2127	6 NUMBER
10	DB SPN 10W HORI DD ELEGNA	3002285	2479	6 NUMBER
12	DB SPN 12W HORI DD ELEGNA	3002284	2685	4 NUMBER
16	DB SPN 16W HORI DD ELEGNA	3002282	3348	4 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR DBs



TPN DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4/8	DB TPN 4W HORI DD ELEGNA	3002281	4195	1 NUMBER
6/8	DB TPN 6W HORI DD ELEGNA	3002280	5314	1 NUMBER
8/8	DB TPN 8W HORI DD ELEGNA	3002279	6779	1 NUMBER
12/8	DB TPN 12W HORI DD ELEGNA	3003345	9748	1 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR TV TEL				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4W TV/TEL	DB TPN 4W HORI DD TV TEL ELEGNA	3008438	6482	1 NUMBER
6W TV/TEL	DB TPN 6W HORI DD TV TEL ELEGNA	3008437	8034	1 NUMBER
8W TV/TEL	DB TPN 8W HORI DD TV TEL ELEGNA	3008436	10004	1 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR HORIZONTAL PPI				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4+2	DB TPN 4+2W PPI HORI DD ELEGNA	3008511	7904	1 NUMBER
6+2	DB TPN 6+2W PPI HORI DD ELEGNA	3008510	8606	1 NUMBER
8+2	DB TPN 8+2W PPI HORI DD ELEGNA	3008509	9752	1 NUMBER
10+2	DB TPN 10+2W PPI HORI DD ELEGNA	3008508	10680	1 NUMBER
12+2	DB TPN 12+2W PPI HORI DD ELEGNA	3008507	11583	1 NUMBER

MRP Per Number
HSN Code: 8537



ELEGNA SPN ACRYLIC DOOR DBs



FABRICATED OUT OF
PC & ABS MATERIAL



PUSH BUTTON
DOOR LOCKING



ADJUSTABLE
DIN RAIL

SPN ELEGNA FR AD SINGLE DOOR DBs



SPN FR ACRYLIC DOOR DBs				
No. of ways/IC	Model	Code	MRP (₹)#	Std. Packing
4/7	DB SPN 4/7W HORI FR AD ELEGNA	1505417	1264	10 NUMBER
8/10	DB SPN 8/10W HORI FR AD ELEGNA	1505418	1639	10 NUMBER
11/13	DB SPN 11/13W HORI FR AD ELEGNA	1505419	1929	5 NUMBER
14/16	DB SPN 14/16W HORI FR AD ELEGNA	1505420	2357	5 NUMBER
17/20	DB SPN 17/20W HORI FR AD ELEGNA	1505421	2732	5 NUMBER

MRP Per Number
HSN Code: 8537

CLASSO PLUS

Coming Soon...



SPN DOUBLE DOOR DBs

NEW



SPN DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4	DB SPN 4W HORI DD CLASSO PLUS	3008520	1527	6 NUMBER
6	DB SPN 6W HORI DD CLASSO PLUS	3008519	1634	6 NUMBER
8	DB SPN 8W HORI DD CLASSO PLUS	3008518	1864	6 NUMBER
10	DB SPN 10W HORI DD CLASSO PLUS	3008517	2117	4 NUMBER
12	DB SPN 12W HORI DD CLASSO PLUS	3008516	2308	4 NUMBER
16	DB SPN 16W HORI DD CLASSO PLUS	3008515	2791	4 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR DBs

NEW



TPN DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4	DB TPN 4W HORI DD CLASSO PLUS	3008514	3656	2 NUMBER
6	DB TPN 6W HORI DD CLASSO PLUS	3008513	4621	2 NUMBER
8	DB TPN 8W HORI DD CLASSO PLUS	3008512	5902	2 NUMBER

MRP Per Number
HSN Code: 8537

CLASSO



SPN DOUBLE DOOR DBs



SPN DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4	DB SPN 4W HORI DD CLASSO	1505822	1457	6 NUMBER
6	DB SPN 6W HORI DD CLASSO	1505821	1559	6 NUMBER
8	DB SPN 8W HORI DD CLASSO	1505820	1778	6 NUMBER
10	DB SPN 10W HORI DD CLASSO	1505819	2019	4 NUMBER
12	DB SPN 12W HORI DD CLASSO	1505818	2202	4 NUMBER
16	DB SPN 16W HORI DD CLASSO	1505823	2662	4 NUMBER

MRP Per Number
HSN Code: 8537

TPN DOUBLE DOOR DBs



TPN DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4/8	DB TPN 4W HORI DD CLASSO	1506004	3487	2 NUMBER
6/8	DB TPN 6W HORI DD CLASSO	1506003	4408	2 NUMBER
8/8	DB TPN 8W HORI DD CLASSO	1506002	5629	2 NUMBER

MRP Per Number
HSN Code: 8537

PHASE SELECTOR HORIZONTAL DBs (with rotary switches, duly wired & provision for 8W I/C)



PHASE SELECTOR WITH 40A SWITCH				
No. of ways /IC & Rating(A)	Model	Code	MRP (₹)#	Std. Packing
4/8 & 40A	DB PH SEL 4W 40A HORI DD CLASSO	1503860	8628	2 NUMBER
6/8 & 40A	DB PH SEL 6W 40A HORI DD CLASSO	1503861	9181	2 NUMBER
8/8 & 40A	DB PH SEL 8W 40A HORI DD CLASSO	1503862	9750	2 NUMBER
HORIZONTAL PHASE SELECTOR WITH 63A SWITCH				
4/8 & 63A	DB PH SEL 4W 63A HORI DD CLASSO	1503863	11556	2 NUMBER
6/8 & 63A	DB PH SEL 6W 63A HORI DD CLASSO	1503864	12130	2 NUMBER
8/8 & 63A	DB PH SEL 8W 63A HORI DD CLASSO	1503865	12698	2 NUMBER

MRP Per Number
HSN Code: 8537

PHASE SELECTOR WITHOUT ROTARY



PHASESELECTOR WITHOUT ROTARY DOUBLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4/8	DB PH SEL 4W HORI DD WR CLASSO	3006925	4568	2 NUMBER
6/8	DB PH SEL 6W HORI DD WR CLASSO	3006924	4974	2 NUMBER
8/8	DB PH SEL 8W HORI DD WR CLASSO	3006923	5380	2 NUMBER

MRP Per Number
HSN Code: 8537

PHASE SELECTOR ENCLOSURE DBs



PHASE SELECTOR ENCLOSURE DBs				
Rating(A)	Model	Code	MRP (₹)#	Std. Packing
40A	PH SEL ENCLOSURE 40A GRVE01	1503858	4675	1 NUMBER
63A	PH SEL ENCLOSURE 63A GRVE01	1503859	6989	1 NUMBER

MRP Per Number
HSN Code: 8537

SPN - SINGLE DOOR DBs



SPN SINGLE DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
4	DB SPN 4W HORI SD CLASSO	1500720	997	1 NUMBER
6	DB SPN 6W HORI SD CLASSO	1500726	1109	1 NUMBER
8	DB SPN 8W HORI SD CLASSO	1500733	1232	1 NUMBER
12	DB SPN 12W HORI SD CLASSO	1500740	1661	1 NUMBER
16	DB SPN 16W HORI SD CLASSO	1500744	1944	1 NUMBER

MRP Per Number
HSN Code: 8537

MCB ENCLOSURES DBs



MCB ENCLOSURE				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
2	DB MCB ENCLOSURE 2W CLASSO	1500758	405	40 NUMBER
4	DB MCB ENCLOSURE 4W CLASSO	1500756	476	30 NUMBER

MRP Per Number
HSN Code: 8537

SPN ACRYLIC DOOR DBs (Metal box)



SPN ACRYLIC DOOR				
No. of ways	Model	Code	MRP (₹)#	Std. Packing
2/4	DB SPN 2/4W HORI AD CLASSO	1504516	1307	12 NUMBER
6/8	DB SPN 6/8W HORI AD CLASSO	1504527	1462	12 NUMBER
12/14	DB SPN 12/14W HORI AD CLASSO	1504525	2089	6 NUMBER
16/18	DB SPN 16/18W HORI AD CLASSO	1504514	2533	6 NUMBER

MRP Per Number
HSN Code: 8537

AC PLUG & SOCKET DBs



AC PLUG & SOCKET				
Rating (A)	Model	Code	MRP (₹)#	Std. Packing
20	DB SPN 20A PLUG SOCKET CLASSO	1504518	759	30 NUMBER

AC PLUG				
Rating(A)	Model	Code	MRP (₹)#	Std. Packing
30	DB TPN 30A PLUG SOCKET GRPL01	1500755	2923	1 NUMBER

AC SOCKET				
Rating(A)	Model	Code	MRP (₹)#	Std. Packing
20	SPN 20A METAL CLAD PLUG	1503813	265	10 NUMBER
20	SPN 20A METAL CLAD SOCKET	1503817	265	10 NUMBER
30	TPN 30A METAL CLAD PLUG	1503816	599	10 NUMBER
30	TPN 30A METAL CLAD SOCKET	1503820	599	10 NUMBER

MRP Per Number
HSN Code: 8537



TPN - DOUBLE DOOR VERTICAL DBs

AVAILABLE TILL
STOCK LAST



VERTICAL TPN-DOUBLE DOOR				
No. of ways /IC	Model	Code	MRP (₹)#	Std. Packing
4/8	DB TPN 4W V DD GRPL01	1502347	10236	1 NUMBER
6/8	DB TPN 6W V DD GRPL01	1502348	12051	1 NUMBER
8/8	DB TPN 8W V DD GRPL01	1502349	12806	1 NUMBER

MRP Per Number

HSN Code: 8537

PHASE SELECTOR VERTICAL DBs

(with rotary switches, duly wired & provision for 8W I/C)

AVAILABLE TILL
STOCK LAST



PHASE SELECTOR WITH 40A SWITCH				
No. of ways/IC & Rating(A)	Model	Code	MRP (₹)#	Std. Packing
4/8 & 40A	DB PH SEL 4W 40A V DD GRVE01	1501996	10516	2 NUMBER
6/8 & 40A	DB PH SEL 6W 40A V DD GRVE01	1501997	10932	2 NUMBER
8/8 & 40A	DB PH SEL 8W 40A V DD GRVE01	1501998	12191	2 NUMBER
PHASE SELECTOR WITH 63A SWITCH				
4/8 & 63A	DB PH SEL 4W 63A V DD GRVE01	1501999	12546	2 NUMBER
6/8 & 63A	DB PH SEL 6W 63A V DD GRVE01	1502000	12891	2 NUMBER
8/8 & 63A	DB PH SEL 8W 63A V DD GRVE01	1502001	13536	2 NUMBER

MRP Per Number


HSN Code: 8537

Note: MRP shown in the price list includes all taxes.


SPECIFICATION CHART

INVIDIA


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
INVIDIA SPN DBs	RAL - 9003 Signal white	8	DB SPN 8W HORI DD INVIDIA	1504573	22.8	29.5	9
		10	DB SPN 10W HORI DD INVIDIA	1504569	22.8	33.1	9
		12	DB SPN 12W HORI DD INVIDIA	1504570	22.8	36.7	9
		14	DB SPN 14W HORI DD INVIDIA	1504571	22.8	40.3	9
INVIDIA TPN DBs	RAL - 9003 Signal white	4	DB TPN 4W HORI DD INVIDIA	1504654	37	41.1	8.3
		6	DB TPN 6W HORI DD INVIDIA	1504655	37	44.7	8.3
		8	DB TPN 8W HORI DD INVIDIA	1504656	37	48.3	8.3
INVIDIA Phase selector DBs	RAL - 9003 Signal white	4	DB PH SEL 4W 40A V DD INVIDIA	1504647	56	39.9	9.7
		6	DB PH SEL 6W 40A V DD INVIDIA	1504649	56	43.5	9.7
		8	DB PH SEL 8W 40A V DD INVIDIA	1504651	56	47.1	9.7
		4	DB PH SEL 4W 63A V DD INVIDIA	1504648	56	39.9	9.7
		6	DB PH SEL 6W 63A V DD INVIDIA	1504650	56	43.5	9.7
		8	DB PH SEL 8W 63A V DD INVIDIA	1504652	56	47.1	9.7




INVIDIA SPN DBs



INVIDIA TPN DBs




INVIDIA PHASE SELECTOR DBs




Phase Selector DBs Premium Series

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Phase selector DBs	RAL - 9003 Signal white	4	DB PH SEL 4W 40A V DD GRPL03	1503789	56	42	15
		6	DB PH SEL 6W 40A V DD GRPL03	1503790	56	45.6	15
		8	DB PH SEL 8W 40A V DD GRPL03	1503791	56	49.2	15
		4	DB PH SEL 4W 63A V DD GRPL03	1503792	56	42	15
		6	DB PH SEL 6W 63A V DD GRPL03	1503793	56	45.6	15
		8	DB PH SEL 8W 63A V DD GRPL03	1503794	56	49.2	15
		12	DB PH SEL 12W 63A V DD GRPL03	1503974	56	56.4	15




Vertical TPN DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Vertical TPN DBs	RAL - 9003 Signal white	4	DB VTPN 4W V DD INVIDIA	3003462	47.8	40	10.6
		6	DB VTPN 6W V DD INVIDIA	3003461	53.2	40	10.6
		8	DB VTPN 8W V DD INVIDIA	3003460	58.6	40	10.6




VTPN MCCB Incomer DBs (160A)

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
VTPN MCCB Incomer DB	RAL-9003 Signal white	4	DB VTPN 4W 160A V DD MCCB IC INVIDIA	3000497	60	45	11
		6	DB VTPN 6W 160A V DD MCCB IC INVIDIA	3000495	65.4	45	11
		8	DB VTPN 8W 160A V DD MCCB IC INVIDIA	3000491	70.8	45	11
		12	DB VTPN 12W 160A V DD MCCB IC INVIDIA	3000650	81.6	45	11




MCCB Enclosure 160A

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
MCCB Enclosure	RAL-9003 Signal white	4	MCCB ENCLOSURE 160A INVIDIA	3001576	35.1	21.8	10



7 Segment DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Seven Segment DBs	RAL-9003 Signal white	4	DB 7SEG 4W 4/8 V DD INVIDIA	1504904	54.2	42.5	8.5
		6	DB 7SEG 6W 4/8 V DD INVIDIA	1504905	54.2	53.3	8.5
		8	DB 7SEG 8W 4/8 V DD INVIDIA	1504906	54.2	64.1	8.5




SPN Invidia FR AD DBs


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN Invidia FR AD DB	White + Grey	4/6	DB SPN 4/6W HORI FR AD INVIDIA	1505220	23	20.6	8
		7/9	DB SPN 7/9W HORI FR AD INVIDIA	1505221	23	26.0	8
		10/12	DB SPN 10/12W HORI FR AD INVIDIA	1505222	23	31.4	8
		14/16	DB SPN 14/16W HORI FR AD INVIDIA	1505223	23	38.6	8
		17/19	DB SPN 17/19W HORI FR AD INVIDIA	1505224	23	44.0	8

ELEGNA


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
ELEGNA SPN DBs	RAL-9003 Signal white	4	DB SPN 4W HORI DD ELEGNA	3002288	22.7	14	9
		6	DB SPN 6W HORI DD ELEGNA	3002287	22.7	17.6	9
		8	DB SPN 8W HORI DD ELEGNA	3002286	22.7	21.2	9
		10	DB SPN 10W HORI DD ELEGNA	3002285	22.7	24.8	9
		12	DB SPN 12W HORI DD ELEGNA	3002284	22.7	28.4	9
		16	DB SPN 16W HORI DD ELEGNA	3002282	22.7	36.4	9
ELEGNA TPN DBs	RAL-9003 Signal white	4	DB TPN 4W HORI DD ELEGNA	3002281	38.5	33	9
		6	DB TPN 6W HORI DD ELEGNA	3002280	38.5	36.6	9
		8	DB TPN 8W HORI DD ELEGNA	3002279	38.5	40.2	9
ELEGNA TPN Hori PPI DBs	RAL-9003 Signal white	4+2	DB TPN 4+2W PPI HORI DD ELEGNA	3008511	38.5	40.2	9.6
		6+2	DB TPN 6+2W PPI HORI DD ELEGNA	3008510	38.5	43.8	9.6
		8+2	DB TPN 8+2W PPI HORI DD ELEGNA	3008509	38.5	51.0	9.6
		10+2	DB TPN 10+2W PPI HORI DD ELEGNA	3008508	38.5	58.2	9.6
		12+2	DB TPN 12+2W PPI HORI DD ELEGNA	3008507	38.5	65.4	9.6
ELEGNA TPN TV TEL DBs	RAL-9003 Signal white	4	DB TPN 4W HORI DD TV TEL ELEGNA	3008438	38.5	50.0	9.6
		6	DB TPN 6W HORI DD TV TEL ELEGNA	3008437	38.5	53.6	9.6
		8	DB TPN 8W HORI DD TV TEL ELEGNA	3008436	38.5	57.2	9.6



SPN Double Door DBs




TPN Double Door / Hori PPI /
Hori TV TEL DBs



SPN Elegna FR AD DBs


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN ELEGNA FR AD DB	White + Grey	4/7	DB SPN 4/7W HORI FR AD ELEGNA	1505417	22	21.4	8
		8/10	DB SPN 8/10W HORI FR AD ELEGNA	1505418	22	26.8	8
		11/13	DB SPN 11/13W HORI FR AD ELEGNA	1505419	22	32.2	8
		14/16	DB SPN 14/16W HORI FR AD ELEGNA	1505420	22	37.6	8
		17/20	DB SPN 17/20W HORI FR AD ELEGNA	1505421	22	44.8	8

CLASSO



SPN Double Door DBs


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN Double Door DBs	RAL-9003 Signal white	4	DB SPN 4W HORI DD CLASSO	1505822	22.7	14	9
		6	DB SPN 6W HORI DD CLASSO	1505821	22.7	17.6	9
		8	DB SPN 8W HORI DD CLASSO	1505820	22.7	21.2	9
		10	DB SPN 10W HORI DD CLASSO	1505819	22.7	24.8	9
		12	DB SPN 12W HORI DD CLASSO	1505818	22.7	28.4	9
		16	DB SPN 16W HORI DD CLASSO	1505823	22.7	36.4	9




TPN Double Door DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
TPN Double Door DBs	RAL-9003 Signal white	4	DB TPN 4W HORI DD CLASSO	1506004	38	33	8.5
		6	DB TPN 6W HORI DD CLASSO	1506003	38	36.6	8.5
		8	DB TPN 8W HORI DD CLASSO	1506002	38	40.2	8.5


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
CLASSO PLUS SPN DBs	RAL-9003 Signal white	4	DB SPN 4W HORI DD CLASSO PLUS	3008520	22.7	14	9
		6	DB SPN 6W HORI DD CLASSO PLUS	3008519	22.7	17.6	9
		8	DB SPN 8W HORI DD CLASSO PLUS	3008518	22.7	21.2	9
		10	DB SPN 10W HORI DD CLASSO PLUS	3008517	22.7	24.8	9
		12	DB SPN 12W HORI DD CLASSO PLUS	3008516	22.7	28.4	9
		16	DB SPN 16W HORI DD CLASSO PLUS	3008515	22.7	36.4	9
CLASSO PLUS TPN DBs	RAL-9003 Signal white	4	DB TPN 4W HORI DD CLASSO PLUS	3008514	38.5	33	9
		6	DB TPN 6W HORI DD CLASSO PLUS	3008513	38.5	36.6	9
		8	DB TPN 8W HORI DD CLASSO PLUS	3008512	38.5	40.2	9



SPN Double Door DBs




TPN Double Door DBs




Horizontal Phase Selector DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Phase Selector DBs	RAL-9003 Signal white	4	DB PH SEL 4W 40A HORI DD CLASSO	1503860	42.4	48	11
		6	DB PH SEL 6W 40A HORI DD CLASSO	1503861	42.4	51.5	11
		8	DB PH SEL 8W 40A HORI DD CLASSO	1503862	42.4	55	11
		4	DB PH SEL 4W 63A HORI DD CLASSO	1503863	42.4	48	13.5
		6	DB PH SEL 6W 63A HORI DD CLASSO	1503864	42.4	51.5	13.5
		8	DB PH SEL 8W 63A HORI DD CLASSO	1503865	42.4	55	13.5




Phase Selector DBs Without Rotary

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Phase Selector DBs Without Rotary	RAL-9003 Signal white	4	DB PH SEL 4W HORI DD WR CLASSO	3006925	47.8	34	14.3
		6	DB PH SEL 6W HORI DD WR CLASSO	3006924	47.8	37.6	14.3
		8	DB PH SEL 8W HORI DD WR CLASSO	3006923	47.8	41.2	14.3




Phase Selector Enclosure

Category	Colour	Rating	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Phase Selector Enclosure	RAL-9003 Signal white	40 A	PH SEL ENCLOSURE 40A GRVE01	1503858	38.6	17.5	8.2
		63 A	PH SEL ENCLOSURE 63A GRVE01	1503859	43.7	20.0	9.0




SPN Single Door DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN Single Door DBs	RAL-9003 Signal white	4	DB SPN 4W HORI SD CLASSO	1500720	18.3	13.7	6.3
		6	DB SPN 6W HORI SD CLASSO	1503876	18.3	17.1	6.3
		8	DB SPN 8W HORI SD CLASSO	1500733	18.3	20.9	6.3
		12	DB SPN 12W HORI SD CLASSO	1500740	18.3	28.1	6.3
		16	DB SPN 16W HORI SD CLASSO	1500744	18.3	35.3	6.3



Enclosure DBs


Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
Enclosure DBs	RAL-9003 Signal white	2	DB MCB ENCLOSURE 2W CLASSO	1500758	16.7	8.3	6
		4	DB MCB ENCLOSURE 4W CLASSO	1500756	16.7	12	6




SPN AD DBs

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN AD DB	RAL-9003 Signal white	2/4	DB SPN 2/4W HORI AD CLASSO	1504516	17.5	12.6	7.1
		6/8	DB SPN 6/8W HORI AD CLASSO	1504527	17.5	19.8	7.1
		12/14	DB SPN 12/14W HORI AD CLASSO	1504525	17.5	30.8	7.1
		16/18	DB SPN 16/18W HORI AD CLASSO	1504514	17.5	37.8	7.1

Category	Colour	No. of ways	Model	SAP Code	Dimensions in cm		
					A (Height)	B (Width)	C (Depth)
SPN Plug & Socket DBs	RAL-9003 Signal white	20 A	DB SPN 20A PLUG SOCKET GRPL01	1500753	15.5	12.4	6
TPN Plug & Socket DBs	RAL-9003 Signal white	20 A	DB TPN 20A PLUG SOCKET GRPL01	1500752	26	11.5	6
		30 A	DB TPN 30A PLUG SOCKET GRPL01	1500755	26	11.5	6




SPN Plug & Socket DBs



TP AC Plug & Socket DBs

MCCB




25kA MCCB INVIDIA

MCCB	A	B	C	D	E	F	G	H	I
INVIDIA3P	139	90	30	107	30	15	82	110	82
INVIDIA 4P	139	120	60	107	30	15	82	110	82

10kA MCCB ELEGNA

MCCB	A	B	C	D	E	F	G	H	I
ELEGNA3P	132.5	75	25	110.5	25	12.5	55.7	82.2	68.64
ELEGNA 4P	132.5	100	50	110.5	50	25	55.7	82.2	68.64


Rotary Switch



Phase Selector Rotary Switch

Connection Diagram

For Phase selector Distribution Board



	25A	32A	40A	63A
A	75	75	75	90
B	75	75	75	90
C	57	57	57	70
D	23.4	23.4	23.4	35.5
E	92	92	92	115
F	15	15	15	21
G	48	48	48	68
H	48	48	48	68
I	Ø12.5	Ø12.5	Ø12.5	Ø12.5
J	Ø5.5X4N	Ø5.5X4N	Ø5.5X4N	Ø5.5X4N

All dimintions are in mm



V-Guard Industries Ltd.,
Registered Office: 42/962,
Vennala High School Road,
Vennala, Kochi - 682028, Kerala.
Ph: 0484-2005000, 4335000
www.vguard.in



V-Guard Care
0120 485 0100
1860 180 3000
customercare@vguard.in
© 9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010