



BCH
ELECTRIC
LIMITED

Trusted since 1965...

**BK1
Starter**




BK1 DOL Starter

**BCH STARTER
BEFIKAR CHALTA HAI...**



BK1 SASD Starter

- ◆ Range : DOL upto 7.5HP (upto 32A Relay)
- ◆ Range : Star Delta upto 15HP (upto 32A Relay)
- ◆ Wide band coil 250-450V AC & 200-400V AC
- ◆ Weather proof powder coated box for excellent finish & durability
- ◆ Easy availability of spares




Web. : www.bchindia.com
Toll Free # : 1800-103-9262



BCH
ELECTRIC
LIMITED

Trusted since 1965...

3 Core Flat Cable



- ◆ **Range 1.0-120sq mm**
- ◆ **Conforming to IS 694:2010**
- ◆ **Use of 99.98% pure ETP copper conductor with 101% conductivity**
- ◆ **Thick sheathed PVC / XLPE Insulated type cables available**



Web. : www.bchindia.com
Toll Free # : 1800-103-9262




BCH
ELECTRIC
LIMITED

Trusted since 1965...

FR & FRLSH Cables

ANTI RODENT
LEAD FREE

◆ Range : 0.50-300 sq mm



Flame Retardant



Energy Saving




High Insulation Resistance





ROHS Compliant



101% Copper Conductivity



More than 99.98% Bare Copper Conductor



Web. : www.bchindia.com

Toll Free # : 1800-103-9262



BCH
ELECTRIC
LIMITED

Trusted since 1965...

Final Distribution Products



MCB :

- ◆ Breaking Capacity 10kA
- ◆ Rating: 0.5A to 5A & 6A to 63A
- ◆ Poles: 1P/SPN/2P/3P/TPN/4P
- ◆ Conforms to IS/IEC-60898-1 & IS/IEC 60947-2

Distribution Boxes:


- ◆ Single Door & Double Door SPN DB
- ◆ HTPN Single Door & Double Door DB
- ◆ VTPN Double Door DB with MCB Incomer & MCCB Incomer
- ◆ Plug & Socket DB
- ◆ Double Door Row DB/Phase Selector DB
- ◆ 7 Segment Phase Segregated DB
- ◆ One way DB (1P, 2P, 3P & 4P Boxes)

ISOLATOR :

- ◆ Available in 2P, 3P & 4P
- ◆ Ratings : 40A & 63A

RCCB :

- ◆ 25A, 40A & 63A - 2 Pole & 4 Pole
- ◆ 30mA, 100mA & 300mA sensitivities



Web. : www.bchindia.com
Toll Free # : 1800-103-9262