



**VISHWAKARMA TRADING
CORPORATION**
We Keep The World In Motion!

Vishwakarma Trading Corporation

Vishwakarma Trading Corporation have established ourselves as a distinguished market leader in the discipline of Construction machinery. We are a leading manufacturer and supplier of technically advance Building material lifting machine, Mini crane, Suspended cradle system, stone crusher machine, Brick crusher machine and Bar cutting machine. Developed after extensive research, these machines are user friendly and are designed to deliver optimum performance even in adverse work and climatic conditions & he is supplier in all the cities of India. These machines are easy to use and can be handled by anyone after minor training.

Forty years of industry experience has enabled us to gather insight of the manufacturing, supplying, exporting and trading wide range of Construction Machinery. Our quality range includes Building material lifting machine, Mini crane, Suspended cradle system, stone crusher machine, Brick crusher machine and Bar cutting machine. To conduct various quality tests on our products, we have in-house quality testing facility that is furnished with latest testing equipment and tools. Each and every stage of our process is supervised by diligent quality inspectors who hold versatile knowledge of our discipline. With the support of these adept professionals, we are able to carve a special niche for ourselves in todays competitive business scenario. Owing to all these factors we are able to fulfill the growing demands of our clients based in India. We just don't sell; we give solutions to the problems to our esteemed customers. We help and assist them in achieving their goal through our professional advice, technical support and after sales service. These happen for on going projects and also for projects on per-tendering and post tendering period.

Bengaluru Address: #985/10, Marappa
Layout, Near Manjunatha Palace Thanisandra,
Bengaluru - 560077



New Delhi Address: A117, Sewak Park,
Near Dwarka Mor Metro Station Pillar
Number 783, New Dehli -59


+91-9538551450

Vishwakarma Trading Corporation

+91-95359-97570

Bar Cutting Machine

Product Name	Product Image	Product Details	
Bar Cutting Machine		Weight	upto 535 Kg
		Model	M-GQ50
		Cutting Capacity	6-42 mm TMT Rebar
		Type of Motor	Copper Winding Motor
		Motor Safety	IP44,IP54,IP55
		Angle Steel	90 x 90 x 5 mm
		Flat Steel	90 x 15 mm
		Motor Rotation Speed	2860 R/min
		Production Capacity	2.5 ton/Ph

Product Name	Product Image	Product Details	
Bar Cutter Machine		Capacity	2.5 Ton/Hour /32mm
		Rotation Speed Of Motor	2860 R/min
		Model	M-GQ40
		Item Weight	upto 380 Kg


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Bending Machines

Product Name	Product Image	Product Details	
Bar Bending Machine		Minimum Order Quantity	1 Piece
		Weight	up to 490 Kg
		Frequency	50/60 Hz
		Automatic Grade	Automatic
		Bar Bending Dia	up to 42mm TMT bar
		Type of Motor	Copper Winding
		Motor Power	upto 4.5 kW/ 6hp
		Motor Rotation Speed	1440 R/min
		Speed of Working Disk	8-12 R/min
		Noise Value	80dB(A) (1m away)
		Production Capacity	2 ton P/h
		Efficiency	81%
		Model No.	GW-50
		Safety	IP44,IP54,IP55 (dust proof)


Product Name	Product Image	Product Details	
Stirrup Bending Machine		Minimum Order Quantity	1 Piece
		Weight	150 kg
		Motor Power	4 kW / 5HP
		Condition	New
		Voltage	415 V
		Max Bending Radius	150-200 mm
		Plate Diameter	360 mm
		Motor Speed	20-1440 r/min


Product Name	Product Image	Product Details	
Steel Rebar Bending Machine 32mm		Minimum Order Quantity	1 Piece
		Bar Dimensions	up to 32mm TMT bar
		Weight	up to 330 Kg
		Frequency	50/60 Hz
		Automatic Grade	Automatic

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Bar Threading Machine		Suitable bar diameter	16-40 mm
		Thread pitch	1.75, 2.0, 2.5, 3.0
		Thread angle	75 degree or 60 degree, helix angle
		Motor	3KW
		Main Shaft Speed	42-62 r/min
		Max rolling length	100 mm
		Packing	Iron frame and carton box
		NW / GW	380 kg / 420kg

Product Name	Product Image	Product Details	
Scrap Straightening Machine		Model	Vishwakarma
		Straightening diameter	6 to 14 mm
		Speed of working	28 m/min
		Cutting space	500-600 mm (can be longer)
		Motor power	5.5 KW + 2.2 KW
		Reducer	350
		Weight	720 KG

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Walk Behind Roller

Product Name	Product Image	Product Details	
Walk Behind Roller		Minimum Order Quantity	1 Piece
		Power	5.76 hp - 9 hp
		Centrifugal Force	20 to 25 KN
		Engine Type	Air-cool Diesel/Gasoline
		Vibration Frequency	70 Hz
		Theoretical Climbing Ability	30 %
		Hydraulic Oil Tank Capacity	18 ltr
		Watering System	Gravity Sprinkle system
		Wheel Size	600 x 420 mm2
		Package Size	1350 x 750 x 1150 mm
		Engine Brand	Greaves Diesel Engine/Changfa
		Engine Model	1510 electric start/186 Electric Start
		Drive Model	Mechanical Drive
		Walking Model	Forward & Back
		Vibratory Clutch Method	Automatic
		Rotating Speed	2200-3000 rpm
		Fuel Capacity	6 ltr. - 8 ltr.
		Lubricating Oil	36 no. Hydraulic Oil
		Static Load	45N/CM
		Nominal Amplitude	0.6 mm
Area of Compaction	25000 sq.ft/hr.		
Water Tank Capacity	35 ltr		
Weight	580 kgs		

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Ride On Roller

Product Name	Product Image	Product Details	
Ride On Roller		Minimum Order Quantity	1 Piece
		Centrifugal Force	20-25 kN
		Vibration Frequency	70 Hz
		Engine	Diesel Engine
		Engine Type	Air Cool Diesel
		Weight	800 kg
		Fuel Consumption	280 g/kWH
		Drive Model	Mechanical/Hydraulic
		Capacity of Water Tank	15-60 ltr
		Capacity of Oil Tank	3.6-19 ltr
		Walking Speed	0-5 km/h
		Turning Radius	2500 mm
		Starting Way	Electrical Starting
		Walking Model	Forwarding & Back
		Vibrating Clutch Method	Electromagnetic

Product Name	Product Image	Product Details	
Ride On Roller		Minimum Order Quantity	1 Piece
		Centrifugal Force	35 kN
		Vibration Frequency	70 Hz
		Engine	Diesel Engine
		Engine Type	Air Cool Diesel
		Weight	1000 kg
		Fuel Consumption	280 g/kWH
		Drive Model	Mechanical/Hydraulic
		Capacity of Water Tank	15-60 ltr
		Capacity of Oil Tank	3.6-19 ltr
		Walking Speed	0-5 km/h
		Turning Radius	2500 mm
		Starting Way	Electrical Starting
		Walking Model	Forwarding & Back
		Vibrating Clutch Method	Electromagnetic


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Double Drum Ride On Roller		Weight	800-1000 kg
		Engine	Diesel Engine
		Centrifugal Force	35-50 kN
		Vibration Frequency	70 Hz


Power Trowel

Product Name	Product Image	Product Details	
Power Trowel		Weight	120 kg
		Dimension	2080 x 1250 x 1020 mm
		Working diameter(mm)	1170
		Working speed(rpm)	70-125
		Max Speed	3600 rpm
		Fuel Tank	6.1 liter
		Max Output	7 kW/9 hp
		Engine	Air-cooled, 4-cycle, Gasoline

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Power Trowel		Motorized	

Concrete Cutter

Product Name	Product Image	Product Details	
Concrete Cutter		Weight	116 kg
		Water Tank Capacity	35 litre
		Engine	Air-cooled,4-cycle,Gasoline/Diesel/ Electrical
		Dimension	1260 x 540 x 1035 mm
		Cutting Width	5-8 mm
		Max Cutting Depth	up-to 500 mm
		Disk Size	400-1000 mm
		Type	Honda GX390/Greaves/Electric Motor
		Max Output	9.6 kW(13 hp)/ 22.5 kW(14 hp)
		Fuel Tank	6.5/7.0 litre

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077




New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Tamping Rammer

Product Name	Product Image	Product Details	
Tamping Rammer		Minimum Order Quantity	1 Piece
		Impulse Force	14 kN
		Operating Weight	83 Kg
		Fuel Tank Capacity	3.0 ltr
		Oil Tank Capacity	0.7 ltr
		Dimension	900*510*1150 mm
		Shoe Size	335*285 mm
		Forward Speed	10-13m/min
		Jumping Stroke	350*150*1.5 mm
		Diameter Of Finish Disc	40-80 mm
		Engine Model	GX160/GX100
		Fuel Consumption	1.2 l/h


Screed Machines

Product Name	Product Image	Product Details	
Vibratory Screed Machine		Minimum Order Quantity	1 Piece
		Weight	25 kg
		Dimension	Length x 1400 x 960 mm
		Drive System	2000 mm
		Engine	Flexible Shaft
		Type	Air-cooled, 4-cycle, Gasoline
		Max Output	1.2 kW/ 1.6 hp
		Max Speed	5200 rpm
		Fuel Tank	0.65 litre


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Concrete Truss Screed Machine		Minimum Order Quantity	1 Piece
		Engine Type	Honda/Electrical
		Power Section	HP30
		Center Beam Width	355 mm
		Center Height	475 mm
		Center Weight	26 kg
		End Section	HE 15
		End Section Length	1.5 m
		End Section Beam Width	355 mm
		End Section Height	475 mm
		End Section Weight	30 kg
		Length	3.1 m
		Beam Width	355 mm
		Height	475 mm
		Max Output	7 kw/5hp
		Max Speed	3600 rpm
		Fuel Tank	6 litre
		Center Section	HC15
Center Length	1.5 m		
Weight	92 kg		


Ride On Power Trowel


Product Name	Product Image	Product Details	
Ride On Power Trowel		Working Diameter	1890 mm
		Weight	338 kg
		Power	17.1 kW/ 23 hp
		Blade Quantity	8
		Engine	Honda GX690
		Fuel Tank	12 L
		Engine Rotating Speed	3600 rpm
		Pan Rotating Speed	70-150 rpm
		Dimension	1980 x 1020 x 1500 mm


Bengaluru Address: #985/10, Marappa
Layout, Near Manjunatha Palace Thanisandra,
Bengaluru - 560077



New Delhi Address: A117, Sewak Park,
Near Dwarka Mor Metro Station Pillar
Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Concrete Mixture with Lift		Power Source	Diesel Engine
		Output Capacity (Cubic meter / hour)	480 Liters
		Type of the drum mixer	Tilting Drum Mixer
		Speed of Mixing Drum	15r/min
		Chassis Material	Cast Iron
		Is It Portable	Portable

Product Name	Product Image	Product Details	
Industrial Lifting Machine		Capacity	1000 Kg
		Brand	VMW
		Gear Box	Reduction
		Motor	7.5 HP
		Wire Rope	45 m
		Speed Limit	12 m/Min


Product Name	Product Image	Product Details	
Concrete Cutter Machine Blades		Usage/Application	Workshop
		Shape	Round
		Type	Cutting Blade
		Material	Stainless Steel
		Size	4 Inch
		Diameter	200 - 500 mm


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Pillar Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Rebar Thread Roller		Hardness	58HRC
		Capacity	16 to 40 mm
		Model	ADS 40
		Material	Stainless Steel
		Brand	Surya
		Color	Silver
		Minimum Order Quantity	1 Number


Product Name	Product Image	Product Details	
Power Concrete Cutter , Q480		Model/Type	Q480
		Cutting Cap Depth	7 Inch
		Type	Diesel Operated
		Frequency	50/60Hz

Product Name	Product Image	Product Details	
ZLP-800 Suspended Cradle System		Rated Lifting Force	5KN
		Volume	3.0 m3
		Material	M. Steel with Painting
		Height	100 meter Max.
		Rated Load	800 Kg
		Platform Length	7.5 mtr x 0.65 mtr
		Hoist Motor	Load 8.0 KN
		Lifting Speed	8.3m/min +- 0.5
		Motor Power	1.8 KW
		Total Weight	1900 Kg
		Diameter of Steel Tope	8.6 mm
		Voltage	AC 415V 3 phase
		Wire rope	150 one side Boom Make Usha Mortin
		Electric Motor	3 hp 2 motors with electrical brake
Ascend Speed	9-11m/min (working speed)		


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Groove Cutter		Type	Diesel Engine
		Cutting Material	Concrete
		Power Source	Electric
		Portable	Yes
		Blade Capacity	300-500 mm
		Max Depth Cut	180 mm
		Motor Power	10 hp

Product Name	Product Image	Product Details	
Builder Hoist		Trolley Option	With Trolley
		Chain Length	4-6 m
		Load Capacity	6-10 ton

Product Name	Product Image	Product Details	
Concrete Diesel Vibrators		Frequency	50HZ
		Color	Yellow, Black, White
		Voltage	220V
		Type	Internal
		Vibrating Amplitude	1.15 mm
		Power	5.5HP
		Drive Mode	Engine Vibrator


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Motorized Compression Testing Machine		Is It Portable	Portable
		Capacity	100 Ton
		Power Source	AC220V
		Display	Analog
		Power	0.77/1.1 KW
		Rated Pressure	40 Mpa
		Minimum Order Quantity	2 Unit


Product Name	Product Image	Product Details	
Slump Cone		Application	Construction
		Finishing	Smooth, Painting, Coating
		Surface Treatment	Smooth, Painting, Coating As Required
		Shape	Cone
		Packing	Carton Box


Product Name	Product Image	Product Details	
Concrete Vibrator Needle		Dimension	1270 x 650 x 950 mm
		Voltage	380 V
		Rated Power	4 kW
		Weight	630 Kg
		Motor Speed	2860 r/min
		Motor Power	2.2 Kw
		Cutting Speed	93 T/min
		Color	Yellow, Black


Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Reversible Plate Compactor		Power	4000 W
		Power Type	Gasoline
		Application	Road
		Forward Speed	Upto 30 cm/s
		Vibration Frequency	4500 vpm
		Operating Dimension	106 x 45 x 100 cm
		Operating Weight	87 Kg
		Color	Yellow, Black


Product Name	Product Image	Product Details	
Electrical Plate Compactor		Centrifugal Force	11.5 kN
		Color	Yellow, Black
		Body Material	Iron
		Base Plate	14 mm
		Motor	4 kW

Product Name	Product Image	Product Details	
D. Drum Walk Behind Vibratory Roller		Roller Type	Double Drum Roller
		Model	R800
		Engine Power(HP at rpm)	9 HP
		Color	Yellow
		Compaction	2.0 Ton
		Type	Walk Behind Vibratory Roller
		Weight	550 Kg

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59

Product Name	Product Image	Product Details	
Building material lifting machine		Capacity	500 Kg
		Gear Box	Reduction
		Motor	5 HP
		Wire Rope	45m
		Model	1345 DLX
		Speed Limit	20 m/min
		Boom Length	2000 to 3000 mm
		Boom Height	2300 to 2500 mm
		Stand Height	2300 to 3500 mm
		Lift Height	42 to 92 m
		Brake and Lock	Electric
		Operation	Panel
		Rotation	Manual/Electric 360 Degree

Product Name	Product Image	Product Details	
Sand and Brick lifting machine		Usage/Application	construction material lifting machine
		Required Part	Lifting machine
		Color	Orange
		Capacity	250kg
		Minimum Order Quantity	1 Piece

Bengaluru Address: #985/10, Marappa Layout, Near Manjunatha Palace Thanisandra, Bengaluru - 560077



New Delhi Address: A117, Sewak Park, Near Dwarka Mor Metro Station Piller Number 783, New Dehli -59