


# FAALCOON

shaping healthy nature

2025-26





## OUR STORY

Established in 1988 in a small workshop of 400 sq. ft. in Ludhiana, Falcon Garden Tools has become a leading manufacturer of Garden Tools in India. Mr. S. P. Singh Dua, along with his brothers, witnessed back in 1988 that the traditional garden implements hand-made by the blacksmiths from villages were available to the gardeners who catered to the gardens and vineyards. These implements, though they did the intended job of pruning, hurt the operator, slowing down the pruning process. After observing this, Mr. S. P. Singh Dua convinced himself that an operator-friendly and ergonomically designed implement was necessary for improving the efficiency of pruning as well as reducing the fatigue of the gardeners. The ergonomics and ease of usage also opened new opportunities for self-use by home users, housewives, and other users with minimal gardening skills, which eliminated the need for specialized gardeners. Their clarity of understanding of the end customer's needs has yielded an array of products catering to a wide range of requirements in horticulture.

## OUR BUSINESS STRATEGY

Even though our business strategy is oriented towards the professional market for domestic and international users, our products are manufactured to aim for perfection and become the best cutting and pruning tools. Our distribution network is an integral part of our Falcon family, as we share the same desire to achieve 100% customer satisfaction.

## OUR INFRASTRUCTURE

The vision of the board has led to continuous growth of the company, from a modest beginning in a 400 sq. ft. workshop to the present modern manufacturing plant of above 1,90,000 sq. ft. With a state-of-the-art manufacturing facility comprising machines from Japan, Germany, Italy, and Sweden, the company stays ahead of the market in this competitive sector. While the plant has been modernized to accommodate new and existing products, some older manufacturing methods persist for certain products to maintain cost competitiveness.

## CORPORATE GOVERNANCE

This family-owned company operates with a blend of professionalism and a steadfast commitment to customer and employee values. Led by the second generation of the Singh family, we adeptly steer key operations while advancing business objectives, striking a harmonious balance between market demands and upholding the foundational values established by the first generation over three decades ago.

## OUR TECHNOLOGY

Our modern plant features a Lean System layout with visual controls and a Fishbone design for seamless access to modular shops and material flow. Falcon is the first in India to launch in-house developed Modern Saws and Outdoor Power Equipment, designed with advanced CAD-CAM and tested for durability and reliability.



## Contents

Product Features & Signs	1
Lawn Mowers	3
Ride on Mower (Battery Operated)	5
Ride on Mower (Engine Operated)	7
Rotary Lawn Mowers	9
Cylindrical Lawn Mowers	11
Power Weeders	13
Bio-Shredders	15
Brush Cutters	17
Agricultural Crop Harvesters	18
Combination Trimmer	19
Pole Saw/Palm Harvester	20
Agricultural Earth Auger, Leaf Blower &	21
Agricultural Portable Sprayers	21
Aerators	22
Electric Grass Trimmer, Garden Pruner &	23
Pruning Shear	23
Hedge Trimmers & Pole Hedge Trimmer	24
Chain Saws	25
Garden Washers	27
Pruning Secateurs	29
By Pass Type Secateurs	30
Anvil Type Secateurs	32
Thinning Shears, Bonsai Shears	33
Fruit & Vegetable Harvester	34
Manual Grafting Machines	35



## Contents

Gardening Knives	35
Lopping Shears	37
Hedge Shears	39
Pruning Saws	41
Tree Pruners, Fruit Gatherer & Catcher	42
Fruit Catchers, Mango Harvester,	43
Pole Pruners & Arica Nut Harvester &	43
Long Reach Telescopic Pruning Saw	43
Multi Power, Long Reach Pruners	44
Long Reach Pruners	44
Shovels, Digging Fork & Spades	45
Sickles, Bill Hooks, Sword & Pruners	47
Shovels, Hoes & Cultivators	48
Garden Rakes	50
Hand Cultivators, Rakes, Weeders & Tillers	51
Post Hole Diggers, Snake Rescue Tools	54
Combi Quick Multi Tools & Handles	55
Folding Ladder	57
Garden Hand Tools	59
Khurpas	61
Garden Tool Kits	62
Garden Tool Box & Accessories	63
Accessories & Specific Tools	64

# FALCON Cares for the customers



## Product Features & Signs

Simple signs to see and compare features.



Manual Operated



Electric Operated



Petrol Engine



Diesel Engine



Battery Operated



Easy Maintenance



Time Saving



Spare Parts Available



Working Area



Water Coverage



Cutting Capacity



Cutting Height



Working Height

## FALCON Products suitable for?

Team FALCON made this easy to choose product from big range and reflect multi suitability.



Agriculture & Organic Gardens



Hotels Resorts, Clubs Farm Houses



Hills & Valleys



Home & Home Gardens



Plant Researcher



Forest



Horticulture



Tea Gardens



Environment Friendly

## Scan to stay connected with us.



Download Catalogue



Product Manuals



Feedback Form




Youtube Videos



Instagram



Website



# Lawn Mowers

## LAWN MOWERS

A lawn mower is a versatile machine equipped with one or more rotating blades designed to trim grass to a uniform height. The cutting height can be adjusted based on the mower's design and the operator's preference. When selecting a lawn mower, it's essential to consider the type of cutting system and the area that needs maintenance. Typically, there are two main types of cutting systems: rotary and cylindrical. Falcon offers both power and manual-operated models suitable for various applications, including home gardens, farmhouses, parks, hotels, clubhouses, and sports grounds.

## ROTARY LAWN MOWERS

Rotary lawn mowers feature a high-speed rotating blade positioned underneath the machine. The fast-spinning blade efficiently cuts and chops grass, making it ideal for medium to high cuts. However, the high-speed impact can sometimes result in a rougher cut, bruising, and shredding of the grass blades, which may cause discoloration at the leaf ends. Despite this, rotary mowers provide effective grass trimming with noticeable variations in texture and colour. Falcon offers a range of rotary mowers, including electric and petrol-operated models, available in push-type, self-propelled, and ride-on versions to suit different needs.



## CYLINDRICAL LAWN MOWERS

Cylindrical mowers, also known as reel mowers, are equipped with horizontal cutting blades, typically ranging from five to eleven, depending on the working area at the front of the mower. The blades rotate to catch and slice the grass, working against a fixed bottom plate, much like a pair of scissors, to provide a precise cut. These mowers feature vulcanized, ribbed rear rollers that ensure excellent grip without damaging the lawn and are mounted on heavy-duty precision ball bearings for low maintenance and ease of use. A micro-height adjuster allows you to control the grass length, while the cutting cylinder is designed to direct clippings into the centre of the catcher, preventing clogging.



FALCON lawn mowers are available in a variety of models.



# Ride on Mower (Battery Operated) 48VRD



Brushless Motor



Reverse Mowing Capability



Cruise Control



Cutting Width:  
38 in. (960 mm)



Adjustable Seat



LED Headlight



Low Maintenance



Pollution Free

## FALCON ELECTRIC RIDE ON MOWER

The Falcon 48-Volt 38-Inch Electric Ride-on Mower is clean, quiet, and unbelievably powerful. This fully electric mower has no gas and no fumes—just charge and go. The ride-on mower is powered by 75Ah lead-acid batteries and three high-powered brushless motors to give you up to 8000 sq. mtr. or 2 hours of runtime on a single charge \*. It features two steel blades and a durable 38-inch cutting deck that fits in fenced areas with ease. The 12-position manual deck adjustment allows you to choose a height ranging from 1.5 in. to 4.5 in. to get a clean, level cut on your lawn. The Falcon Electric Ride on Mower is equipped with premium features like LED headlights, a battery level indicator, cruise control, and a cup & bottle holder to make mowing comfortable and convenient. Our highly efficient Ride On Mower comes with Tight Turn capability, mobile device charging, and a rear access charging port that makes charging your electric ride on mower easy when the job is done.

\* under normal conditions

Onboard Control Panel



Height Adjustment



Ultimate Cutting Performance



Large Grass Gatherer



The onboard control panel lets you engage the blades, operate the LED headlights, mobile charging, check your battery level and turn on cruise control.

The 7-position manual deck adjustment allows you to choose a heights ranging between 1.5" - 4.5" to get a clean, level cut on any lawn.

Precision cut twin steel blades combined with two direct drive brushless blade motors create an exceptional cutting experience.

This large capacity bagger has easy tool-free installation and independent bins for easily discharging grass clippings.

## Specifications



Model	48VRD	Blade Cutting Width	490 mm	Headlights	LED
Drive Motor	48V brushless motor	Number of Blade	2	Seat Safety Switch	Yes
Cutting Motor	48V brushless motor	Blade Speed	Max 3500 RPM	Seat Adjustment	Yes
Battery Voltage	48V	Deck Lift System	Hand operation	RMO (Reverse Mowing Mode)	Yes
Battery Amp Hours	75 Ah	Cutting Positions	12	Blade Control Button	Yes
Battery Run Time	120 min*	Cutting Height	1.5-4.5"	Brake Pedal	Yes
Charge Time	7-8 hours*	Front Wheel Size	15"* 5" 6"	Central Information Screen	Yes, battery/miles/park
Number of Battery	4	Rear Wheel Size	16"* 6.5" 8"	USB Port	Yes, type C + type A
Charger Input	240V, 50~60Hz, 4.5A	Assembled Length	1600 mm	Cup Holder	Yes
Charger Output	48V DC, 7.5A	Assembled Height	1168 mm	Maximum Forward Speed	12.9 km/h; mow, 8km/h
Deck Material	Steel	Assembled Width	979 mm	Maximum Reverse Speed	4.8 km/h
Cutting Width	38" (960 mm)	Weight	260 kg	Size of Yard	8000 sq. mtr.

\*Performance can vary depending upon Load & Condition of Lawn area.

## Attachments



Seed Spreader



Lawn Roller



Lawn Scarifier



Lawn Aerator



Grass Gatherer

# Ride on Mower (Engine Operated) COMMANDER



## FALCON COMMANDER RIDE ON MOWER



The ride-on mower is ideal for owners of home gardens, farmhouses, parks, hotels, clubhouses, sports grounds, and other large lawns who seek an efficient and reliable grass-cutting solution with robust construction. The Falcon ride-on mower features a powerful and efficient B&S engine, paired with an automatic hydro-gear transmission for smooth operation. It is equipped with smart headlights and a deluxe leather seat to ensure user comfort. With its high-efficiency cutting performance, this mower delivers an exceptional mowing experience.



Easy to empty grass gather




Digital featured dash board



Cutting Heights Adjustments



Comfort and easy grip Steering and Press start button



Cutting deck with two blades



Pedal break with control hydro gear



## Specifications

Model	Commander
Engine	B&S 4175 Series
Power	17.5 hp
Displacement	500 cc
Oil Capacity	1.7 L
Ignition	Electronic
Fuel Tank Capacity	4 L
Deck Cutting Width	102 cm/40"
Drive Type	Hydro-Gear
Forward Speed	0-10 kph
Reverse Speed	0-5 kph
Number of Blade	2
Adj. Cutting Height	30-90 mm
Cutting Height Positions	7
Mower Clutch	Electromagnetic
Wheel Size (F/R)	15 x 6-6 / 18 x 8.5-8
Wheelbase	1150 mm
Overall Height	1080 mm
Overall Length	2360 mm
Weight	240 kg
Gatherer Capacity	300 L



# Rotary Lawn Mowers



Roto Drive 33 Plus



Roto Drive 40



Roto Drive 46 Plus



Roto Drive 46 PRO

## ROTO DRIVE (Electric Type)

Falcon's range of Electric Rotary Lawn Mowers are powerful, compact, and aerodynamically designed machines perfect for precise grass cutting on small lawns. Engineered for quieter operation with minimal mess and effort, every electric-type mower tends to offer high performance and a range of features. Combined with a durable steel body, our lawn mowers ensure exceptional power and efficiency. Using our lawn mower, makes lawn care a pleasure, providing a perfect balance of performance, style, and affordability.

## Specifications



Model	Roto Drive 33 Plus	Roto Drive 40	Roto Drive 46/ 46 Plus	Roto Drive 46 Pro
Motor/Engine Type	Electric Universal	Electric Induction	Electric Induction	Electric Induction
Blade Type	Rotary	Rotary	Rotary	Rotary
Drive Type	Push	Push	Push	Push
Power/Phase	1400 W (220V~50Hz)	1600 W (220V~50Hz)	1600 W/ 1800 W (220V~50Hz)	3 hp
RPM/Displacement	3500	2800	2800	2800
Cutting Width	33 cm (13")	41 cm (16")	46 cm (18")	46 cm (18")
Adj. Cutting Height	25-75 mm	25-70 mm	25-70 mm	25-70 mm
Cutting Height Positions	7	7	7	7
Height Adjustment Type	Central	Central	Central	Central
Gatherer Capacity	35 L	40 L	70 L	70 L
Gatherer Material	Plastic & Textile	Plastic & Textile	Plastic & Textile, Plastic	Plastic
Deck Material	Plastic	Steel	Steel	Steel
Wheel Size (F/R)	140 mm/164 mm	150 mm/200 mm	200 mm/280 mm	200 mm/280 mm
Electric Cable	15 m	30 m	30 m	30 m
Weight (Inc. Gatherer)	14.8 kg	22.50 kg	28.9 kg	46.5 kg
Working Area Capacity	300 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	900 m <sup>2</sup>



## ROTO DRIVE (Engine Type)

Experience exceptional precision and power with our range of Engine-Operated Rotary Lawn Mowers. Designed for both residential and professional use, these mowers are equipped with a robust engine that ensures consistent, high-performance cutting across various terrains. The rotary blades provide a clean, even cut, while the ergonomic design enhances ease of use and portability. Perfect for maintaining large lawns, our durable mowers combine efficiency and reliability, making them the ideal choice for those who seek the best in lawn care.

## Specifications



Model	Roto Drive 46 PE NEW	Roto Drive 50 Plus	Roto Drive 51	Roto Drive 51e
Motor/Engine Type	Petrol (FALCON)	Petrol-Honda GXV 160	Petrol (FALCON)	Petrol (FALCON)
Blade Type	Rotary	Rotary	Rotary	Rotary
Drive Type	Self-Propelled	Self-Propelled	Self-Propelled	Self-Propelled
Power	4.7 hp (3.5 kW)	4.3 hp (3.2 kW)	4.7 hp (3.5kW)	4.7 hp (3.5kW)
RPM/Displacement	3600 (196 cc)	3600/163 cc	3600/196 cc	3600/196 cc
Cutting Width	46 cm (18")	53 cm (21")	51 cm (20")	51 cm (20")
Adj. Cutting Height	25-75 mm	25-72 mm	25-75 mm	25-75 mm
Cutting Height Positions	8	7	8	8
Height Adjustment Type	Central	Central	Central	Central
Gatherer Capacity	62 L	60 L	62 L	62 L
Gatherer Material	Plastic & Textile	Plastic & Textile	Plastic & Textile	Plastic & Textile
Deck Material	Steel	Steel	Steel	Steel
Wheel Size (F/R)	200 mm/280 mm	200/200 mm	200/280 mm	200/280 mm
e-Start	N/A	N/A	N/A	Yes
Weight (Inc. Gatherer)	34.5 kg	39.81 kg	35.5 kg	36.5 kg
Working Area Capacity	1500 m <sup>2</sup>	1800 m <sup>2</sup>	1800 m <sup>2</sup>	1800 m <sup>2</sup>

# Cylinder Lawn Mowers



## ELECTO DRIVE/ POWER DRIVE

The Falcon lawn mower range of cylindrical mowers has a number of built-in features to ensure that you get a perfect cut every time. Their vulcanized rear rollers are ribbed to ensure excellent grip without damaging your lawn, and they are mounted on heavy-duty precision ball bearings for low maintenance and ease of use. A micro-height adjuster gives you complete control over the length of the grass, while the cutting cylinder is purposely-designed to direct cuttings into the centre of the catcher to prevent fouling. The plastic chain cover keeps dirt away from the drive assembly for less maintenance and a longer life.



## POWER DRIVE 600

The Falcon lawn mower with 610 mm cutting blades is a range of cylindrical mowers has a number of built-in features to ensure that you get a perfect cut every time. Their vulcanized rear rollers are ribbed to ensure excellent grip without damaging your lawn, and they are mounted on heavy-duty precision ball bearings for low maintenance and ease of use.



## EASY DRIVE PLUS


Cylindrical lawn mower, push type, easy and light weight, electrically operated. You can trim your grass with less noise, mess, and exertion. Grass gatherer made of special fabric. Working area up to 300 square metre.





## MANUAL LAWN MOWERS

Manual cylindrical lawn mowers, push-type, are easy to work with a simple mechanism fitted with a plastic gatherer. Designed in three sizes. Working area up to 150, 200, or 250 square metre.



## Specifications

Model	Easy 28	Easy 38	Easy 42	Easy Drive+	Electo Drive	Power Drive	Power Drive 600
Engine/Motor Type	Manual	Manual	Manual	Electric	Electric-Marathon/ Crompton	Petrol- Honda GX160	Petrol- Honda GX 200
Power	N/A	N/A	N/A	600 W	2.0 hp	3.5 hp	5.5 hp
Blade Type	Cylinder	Cylinder	Cylinder	Cylinder	Cylinder	Cylinder	Cylinder
Drive Type	Push	Push	Push	Push	Self-Propelled	Self-Propelled	Self-Propelled
Cutting Width	28 cm/11"	38 cm/15"	42 cm/16"	32 cm/13"	51 cm/20"	51 cm/20"	61 cm/24"
Adj. Cutting Height	12-30 mm	12-30 mm	7-30 mm	18-28-38 mm	7-30 mm	7-30 mm	7-30 mm
Cutting Height Positions	3	3	3	3	Stepless micro adjust knob		
Cutting Cylinder Blade	6	6	6	4	6	6	6
Cuts Per Metre	Variable	Variable	Variable	Variable	245	245	245
Chassis	Steel	Steel	Steel	Plastic	Steel	Steel	Steel
Gatherer Capacity	20 L	30 L	30 L	23 L	60 L	60 L	65 L
Gatherer Material	Engineering Plastic			Textile	Steel	Steel	Steel
Electric Cable	N/A	N/A	N/A	12 m	30 m	N/A	N/A
Weight (Inc. Gatherer)	10.0 kg	12.0 kg	12.0 kg	12.0 kg	81.9 kg	71.0 kg	95 kg
Working Area (±20%)	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	Up to 1800 m <sup>2</sup>	Up to 1800 m <sup>2</sup>	Up to 1800 m <sup>2</sup>



## POWER WEEDERS

FALCON Weeders are designed to understand the needs of farmers having small agriculture holdings, horticulture orchards, and vegetable plantations in plains and hilly areas. These Power Weeders are compact and lightweight so you can enjoy problem-free weeding and sowing.





### FRTC-2010H

Solid Rotary Tynes  
Wheels for Easy Transportation  
Adjustable Throttle Lever  
Handle Adjustable Height




### FRTC-2017/FRTC-2015H

Solid Rotary Tynes  
Robust Engine Guard  
Wheels for Easy Transportation  
Handle Adjustable Height



### FRTC-2016DX-DZ/FRTC-2016DXE

Solid Rotary Tynes  
Robust Engine Guard  
Wheels for Easy Transportation  
Handle Adjustable Height



### FRTC-1003

**NEW**

Solid Rotary Tynes  
Robust Engine Guard  
Wheels for Easy Transportation  
Handle Fixed Height

### Specifications



Model	FRTC-2010H	FRTC-2017	FRTC-2015H	FRTC-2016DX-DZ/DXE	FRTC-1003
Engine Type	Petrol Honda Gx200	Petrol Falcon 170F	Petrol Honda Gx200	Diesel KM178F	Petrol
Displacement	196 cc	208 cc	196 cc	296 cc	63 cc
Power	5.5 hp (4 kW)	7 hp	5.5 hp (4kW)	6 hp (4.5kW)	3 hp (2.2kW)
Starting Type	Recoil Start	Recoil Start	Recoil Start	Recoil/Self Start	Recoil Start
Gear Box Speed-Forward/Reverse	2/1	2/1	2/1	2/1	1
Rotor/Blades	4-4/32	4-4/32	4-4/32	4-4/32	2-2/16
Tilling Width	90 cm	90 cm	90 cm	105 cm	56 cm
Side Disk	2	2	2	2	2
Handlebars	Adjustable	Adjustable	Adjustable	Adjustable	Fixed

# Bio-Shredders/Chippers



FBS-420



FBS-400



FBS-520



FBS-500

FALCON FBS-400/FBS-500 Series Bio-Shredders/Chippers are both hobby and semi-professional machines. These are available in two variables, i.e., with an electric motor and petrol engine. The Bio-Shredders are suitable for small pieces of garden waste, hedge clippings, and small pruned branches (with a maximum diameter of 50 mm and 70 mm, respectively) resulting from maintaining small green areas. The material is fed into only one wide hopper and is shredded by a cutting group formed by a front cutting blade, which enacts a first shredding, while 6 and 8 back mobile hammers refine it further by means of a mobile sieve. The 4 rotary blades at the back of the rotor eject the material and create a strong suction inside the hopper, which facilitates the descent of green material and leaves. The discharge of 116 cm from the ground is obtained by means of a pipe that ejects the material into a wheelbarrow or container. The belt transmission for the engine version makes the Bio-Shredder particularly safe, even if material of excessive size is accidentally inserted. Built in a simple and sturdy way, it is easy to handle and move by means of two big wheels.

## Specifications



Model	FBS-420	FBS-400	FBS-520	FBS-500
Engine / Motor Type	Electric Motor	Engine	Electric Motor	Engine
Max. Power	3.0 hp/2.2 kW	4.5 hp/3.3 kW	5.0 hp/3.7 kW	5.5 hp/4 kW
Ø to Shred	50 mm	50 mm	70 mm	70 mm
Length-Width-Height	1325-655-1325 mm	1440-670-1325 mm	1485-875-1360 mm	1485-875-1360 mm
Feeding & Discharge Height	1075 & 650 mm	1075 & 650 mm	1105 & 1160 mm	1105 & 1160 mm
Shredding Opening	100 x 115 mm	100 x 115 mm	130 x 170 mm	130 x 170 mm
No. of Hammers/Blades	6/1	6/1	8/1	8/1
Hourly Production	*2-3m³/h	*2-3m³/h	*3-4m³/h	*3-4m³/h



FBS-700



FBS-720



FBS-740

The Bio-Shredder FBS-700 is a very compact professional machine with an innovative multiple cutting system formed by a special rotor with 16 mobile hardened steel hammers, 4 fixed steel blades placed on the edge of the rotor and 4 buckets inside the rotor for ejecting the minced material.

This new cutting system allows the operator to introduce in the hopper material of large and small dimensions, with no need to tear apart small branches from the main branch, assuring a very high output per hour. The direct ejection of the shredded material through the rotor, without the use of an additional fan and of a related transmission system, reduces noise level and makes maintenance operation faster. Inside the hopper there is a hydraulic feeding roller with adjustable speed. It carries every kind of vegetable waste (both hard and fibrous for example palms, pines, linden, etc.) to the cutting group up to a maximum of 90 mm of diameter. The material is discharged through a 1.75 m high 270° turning pipe and it is possible to adjust the distance of the discharged material. The size of the minced material is guaranteed by a refining sieve with vertical bars.

FBS-700 can be equipped with Honda GX390, an electric motor of 10 hp and tractor.

## Specifications



Model	FBS-700	FBS-720	FBS-740
Engine/Motor Type	Honda GX390	Electric Motor	Tractor
Max. Power	13 hp/9.6 kW	10 hp/7.4 kW	Min. 15 hp/11 kW Reqd.
Ø to Shred	90 mm	90 mm	90 mm
Length-Width-Height	2615-930-1775 mm	2615-930-1775 mm	1265-1545/2615-1900/1760 mm
Feeding & Discharge Height	1000 & 1775 mm	1000 & 1775 mm	1000 & 1760 mm
Shredding Opening	286 x 200 mm	286 x 200 mm	286 x 200 mm
No. of Hammers/Blades	16/4	16/4	16/4
Hourly Production	*8.5 m <sup>3</sup> /h	*8.5 m <sup>3</sup> /h	*8.5 m <sup>3</sup> /h

# Brush Cutters



## BRUSH CUTTERS

When it comes to Brush cutters, FALCON sets the standard for quality, durability, and power. With a state-of-the-art design and powerful features like a vibration reduction system, ergonomic controls, and a world-class Four-stroke engines, Falcon Brush Cutters deliver outstanding performance every hard-working day. Falcon Brush Cutters are the longest running, hardest-working, and most powerful outdoor power equipment in the landscaping, agricultural, and horticultural business!



Model	FBC-34N	FBC-35N	FBC-35
Engine	JX35, 4 Stroke	Honda GX35, 4 Stroke	Honda GX35, 4 Stroke
Power	0.80 kW	1 kW	1 kW
Displacement	35.8 cc	35.8 cc	35.8 cc
RPM	7000	7000	7000
Fuel Tank	650 ml	630 ml	630 ml
Weight	12.00 kg	8.7 kg	8.7 kg
FMTTI Tested	Yes	Yes	N/A



Model	FBC-44N	FEGT-140	FBC-35B
Engine	JT43, 2 Stroke	Electric	Honda GX35, 4 Stroke
Power	1.25 kW	1000w	1 kW
Displacement/Voltage	43 cc	220-240V/50Hz	35.8 cc
RPM	7000	6500 (with metal blade)	7000
Fuel Tank	1200 ml	N/A	630 ml
Weight	9.90 kg	4.58 kg	8.7 kg
FMTTI Tested	Yes	N/A	N/A

With Cutting Attachments: 3T Blade, 80T Blade & Trimmer Head.



## AGRICULTURAL CROP HARVESTERS



FALCON has introduced a wide range of Agricultural Crop Harvesters. These are useful for harvesting of the crops like paddy, wheat, maize, fodder, etc. These can also be used for landscaping and horticultural use. Falcon Agricultural Crop Harvesters are light weight with easy handling features.



Model	FBC-34	FBC-44	FBC-51
Engine	JX35, 4 Stroke	JT43, 2 stroke	JT52, 2 Stroke
Power	0.80 kW	1.25 kW	1.4 kW
Displacement	35.8 cc	43 cc	52 cc
RPM	7000	7000	7000
Fuel Tank	650 ml	1200 ml	1200 ml
Weight	12.00 kg	9.90 kg	9.90 kg
FMTTI Tested	N/A	N/A	N/A



Model	FBC-34B	FBC-44B
Engine	JX35, 4 Stroke	JT43, 2 Stroke
Power	0.80 kW	1.25 kW
Displacement	35.8 cc	43 cc
RPM	7000	7000
Fuel Tank	650 ml	1200 ml
Weight	10.10 kg	9.90 kg
FMTTI Tested	N/A	N/A

With Cutting Attachments: Harvesting attachment, 3T Blade, 80T Blade & Trimmer Head



# Combination Trimmer

## COMBINATION TRIMMER


Presenting a Combination Trimmer with split-boom attachments! FALCON's Combination Trimmer is composed of the petrol unit with an economical and ecological JT-43 engine and 4 attachments. It handles a variety of greenery jobs and its disassembling design allows it to be easily stored or transported in the boot of a car.

### Specifications



<b>Model</b>	<b>FCT-430</b>
Engine Type	JT43, 2 stroke, ISI Marked
Rated Power/Displacement	1.25 kW/43 cc
RPM	7000
Fuel tank	650 ml
Weight	8.2 kg

SOLID STEEL SHAFT



### Cutting Attachments

- a) Harvesting attachment
- b) Trimmer attachment
- c) Chainsaw attachment
- d) Extended Shaft
- e) Trimmer Head



# Pole Saw/Palm Harvester

## POLE SAW/PALM HARVESTER

FALCON has introduced Long Reach Shear/Pole Saw FLRS-260 engineered and designed for excellent performance. It is fitted with 2 stroke petrol engine. It is useful to prune & cut high and hard to reach branches. It is easy to operate and works speedily.



FLRS-260



FLPH-261

NEW



With attachments  
Pruning Saw, Sickle Blade  
& Chisel Blade

### Specifications



Model	FLRS-260	FLPH-261
Engine	2 stroke, single cylinder	2 stroke, single cylinder
Length of Main Pipe	3030-4400 mm	2790-4440 mm
Displacement	25.4 cc	25.4 cc
Cutting Width	200 mm	100 mm (with pruning saw)
Chain	Oregon, 3/8"	N/A
Bar	10"	N/A
Fuel Tank	750 ml	750 ml
Weight	12.80 kg	13.00 kg

# Agricultural Earth Auger



## AGRICULTURAL EARTH AUGER

This superior performance Falcon Agricultural Earth Auger makes your tree plantation jobs along with pole and fence installations fast and easy.

### Specifications

<b>Model</b>	<b>FEA-63</b>
Engine	2 stroke
Rated Power	2.0 kW
RPM	3000
Displacement	63.3 cc
Frame	Metal
Weight	10.50 kg



# Leaf Blower



## LEAF BLOWER

Leaf Blower is used to collect the dry leaves and grass cuttings in the lawns and gardens. Falcon Leaf Blower is powerful and durable with easy maneuverability.

### Specifications

<b>Model</b>	<b>FEB-7700</b>
Engine	2 stroke
Max. Power	3.6 kW
Displacement	77 cc
Air Volume	27 m <sup>3</sup> /min
Air Speed	105 m/s
Fuel Tank	2500 ml
RPM	6500
Weight	12.30 kg

Casting Iron Sleeve (INNOVATION)



# Agricultural Portable Sprayers

## AGRICULTURAL PORTABLE SPRAYERS

The Agricultural Portable Sprayers are used to spray insecticides and pesticides over the crops to prevent from getting damaged. Falcon Agricultural Portable Sprayers are efficient and convenient to operate.

### Specifications

Model	FAPS-352	FAPS-502
Engine	JX35, 4 stroke, ISI Marked	JX50, 4 stroke
Rated Power	0.80 kW	1.25 kW
Displacement	35.8 cc	50 cc
Pump	Brass	Brass
Inlet/Exhaust Pipe	4 mtr. with filter sets	4 mtr. with filter sets
Spray Guns	2 x 30 CM	2 x 30 CM

\* Without hose



FAPS-352



FAPS-502



Aeration: To maintain a beautiful lawn, providing basic care and watering are important. It also ensures that nutrients can reach the soil beneath the grass. Aeration is an extremely vital element of a healthy lawn; it allows air, water, and nutrients to penetrate built-up grass or lawn thatch. This helps the roots grow deeply and produce a stronger, more vigorous lawn. The main reason for aerating is to alleviate soil compaction. Compacted soils have too many solid particles in a certain volume or space, which prevents the proper circulation of air, water, and nutrients within the soil. Excess lawn thatch or heavy organic debris buried under the grass surface can also starve the roots of these essential elements. Within 48 hours after you aerate, overseed, fertilize, and water your lawn, the seed, fertilizer, and water will have the best chance to get into the slots made by the aerator if applied soon after aeration.




## Specifications

Model	FPAR-1313	FPAR-1314
Spikes	13	13
Spike Material	Stainless Steel	Carbon Steel
Handle	Long Steel	Long Steel
Grip	Comfort Grip	Comfort Grip
Wheels	With Wheels	W/o Wheels
Weight	2.7 kg	1.4 kg

## Specifications

Model	FPAR-450
Engine Type	Honda GX160
Power	4.8 hp
Working Width	450 mm
Gatherer Capacity	80 L
Length	1244 mm
Width	736 mm
Height	1030 mm
Fixed Hammers	12
Weight	71.5 kg



HEIGHT GOVERNOR  
BALL BEARING  
FIXED HAMMERS  
STRONG IRON STAND

## Grass Trimmer



When it comes to trimmers, Falcon sets the standard for quality, durability, and power. With a state-of-the-art design and powerful features like a vibration reduction system and ergonomic controls, Falcon Electric Grass Trimmer delivers outstanding performance to make your lawns and gardens more beautiful.

### Specifications



Model	FEGT-139 +
Power	600 W
Voltage	220 V
Frequency	50 Hz
Shaft Diameter	30 mm
Blade Type	Nylon head
Weight	2.9 kg



## Electric Garden Pruner (with Plug-in Battery)

NEW



### Specifications



Model	EASY CUT-505
Cutting Capacity (Max.)	110 mm
Input Voltage	220-240 V~, 50/60 Hz
Battery	Lithium-ion, 20V
No Load Chain Speed	3.2 m/s
Total Bar Length	5 inches
Charging Time	2-3 hours
Working Time	50 mins *
Weight	1.64 kg

with Italian technology.

FALCON has introduced an Electric Garden Pruner (with Plug-in Battery) engineered and designed to high standards for dependability and ease of operation. It can be used for pruning and cutting tree branches, shrubs, garden waste, and wood. This compact and convenient Electric Garden Pruner has a sharp saw chain that delivers a smooth cut with low vibration. It's non-slip control handle gives a perfect grip.

## Electric Pruning Shear (with Plug-in Battery)

FALCON has introduced Electric Pruning Shear (with Plug-in battery), EASY CUT-25 engineered and designed for excellent performance. It is useful to prune hard branches of plants and shrubs up to 25 mm in diameter, all with the press of a trigger. It delivers a clean cut and ensures comfort even after being used for a long time. It has a digital display showing battery charging life and a counter for cuts. It comes packed in a plastic briefcase for safe storage.



### Specifications



Model	EASY CUT-25
Cutting Diameter (Max.)	25 mm
Working Voltage	DC 16.8V
Working Voltage of the-charger input	AC 240V
Battery	16.8V, 2Ah
Battery Charging Time	1.5-2 hours
Battery Working Time	2-3 hours
Weight	0.9 kg



# Hedge Trimmers



FALCON Electric Hedge Trimmer and Pole Hedge Trimmer are known for their precise cutting and the layout of blades optimized for powerful operation. The well-balanced body and weight of machines are designed for easy and comfortable cutting and grip. The light-body trimmers are ideal for trimming twigs and thin branches. Even thick, woody hedges can be trimmed effectively using them.



FEHT-267+



FPHT-23D



FPHT-22S

## Specifications



Model	FEHT-267+
Power	600 W
Voltage	220 V
Frequency	50 Hz
Blade Type	Metal
Max. Cutting Length	600 mm
Blade Attachment	Blade Cover
Brake	Mechanical
Weight	3.7 kg

## Specifications



Model	FPHT-23D	FPHT-22S
Engine	2 stroke	2 stroke
Rated Power	0.65 kW	0.65 kW
Displacement	22.5 cc	22.5 cc
Blade Length	650 mm	750 mm
Fuel Tank Cap.	680 ml	680 ml
Weight	7.40 kg	7.70 kg

Large rear handles provide comfort and easy control

Rear and centre handles provide comfort & easy control


# Pole Hedge Trimmer



## Specifications



Model	FPHT-268
Power	550 W
Voltage/Frequency	220 V, 50 Hz
Max. Cutting Length	410 mm
Max. Cutting Capacity	16 mm
Height	210-280 cm
Weight	3.7 kg





## Chain Saws

FALCON has a full range of chainsaws that cater to the varied preferences of different customers, covering home to professional use. These are built to tackle the toughest jobs of all purposes; each FALCON Chain Saw is designed to provide a long, trouble-free life. FALCON Chainsaws are available with a power range of 1.3 kW to 3.3 kW (1.8 HP to 4.4 HP).



FECS-149+



FCS-350



FCS-350A

## Specifications



Model	FECS-149+	FCS-350	FCS-350A
Type	Electric	Petrol Engine	Petrol Engine
Displacement	N/A	35.2 cc	35.2 cc
Power	2000 W	1.8 hp (1.3 kW)	1.8 hp (1.3 kW)
Chain	Oregon	Oregon	Oregon
Chain Pitch	0.375 inch	3/8 inch	3/8 inch
Chain Gauge	0.050 inch	0.050 inch	0.050 inch
Bar Length	16 inch	14 inch	16 inch
Fuel Tank Capacity	340 ml	320 ml	320 ml
Weight	5.2 kg	4.6 kg	4.6 kg



FCS-460



FCS-540



FCS-650



FCS-750

## Specifications



Model	FCS-460	FCS-540	FCS-650	FCS-750
Type	Petrol Engine	Petrol Engine	Petrol Engine	Petrol Engine
Displacement	45.6 cc	54 cc	64.1 cc	73.5 cc
Power	2.4 hp (1.8 kW)	3.0 hp (2.2 kW)	4.4 hp (3.3 kW)	4.3 hp (3.2 kW)
Chain	Oregon	Oregon	Oregon	Oregon
Chain Pitch	3/8 inch	3/8 inch	3/8 inch	3/8 inch
Chain Gauge	0.050 inch	0.058 inch	0.058 inch	0.058 inch
Bar Length	18 inch	20 inch	22 inch	24 inch
Fuel Tank Capacity	520 ml	520 ml	700 ml	720 ml
Weight	4.9 kg	5.0 kg	6.0 kg	7.1 kg



# Garden Washers

FALCON Garden Washers-the perfect solution for watering and cleaning task. These are available in three different models. These are useful for cleaning and watering of gardens, trees, plants, lawns that adds value to your environment. When it is difficult to clean stubborn dirt on leaves, trees, garden paths, tree stubs and it becomes shabby, FALCON high pressure Garden Washers make this possible.

## FALCON GARDEN WASHERS USEFUL FOR

- Trees & Plants Cleaning
- Tractor Cleaning
- Car Cleaning
- Indoor & Outdoor Cleaning



## Specifications

Model	Hijet-2013
Motor Type	Universal
Input Power	1400 W
Voltage	220 V
Frequency	50 Hz
Pump Head	Aluminium
Main Cable	5 m
Operating Pressure	75 bar
Max. Pressure	110 bar
Water Pumping Rate	5.5 - 7.5 L/min.
Weight	7.3 kg



NEW

COPPER MOTOR  
**1600W**







NEW

COPPER MOTOR  
**2200W**

## Specifications

### Included Accessories

Model	Hijet-75	Accessories
Motor Type	Universal	Soap Pot 
Power	1600 W	Water Hose (3 Mtr.) 
Voltage	230~240 V	Lance With Adjusting Nozzle 
Frequency	50 Hz	Turbo Lance 
Working Pressure	75 bar	Spray Gun 
Main Cable	5 m	
Max Pressure	110 bar	
Rated Flow	5 L/min.	
Inlet Pressure	6 bar	
Weight	6.1 kg	

## Specifications

### Included Accessories

Model	Hijet-110	Accessories
Motor Type	Universal	Soap Pot 
Power	2200 W	Water Hose (3 Mtr.) 
Voltage	230~240 V	Lance With Adjusting Nozzle 
Frequency	50 Hz	Turbo Lance 
Working Pressure	110 bar	Spray Gun 
Main Cable	10 m	
Max Pressure	150 bar	
Rated Flow	5.5 L/min.	
Inlet Pressure	6 bar	
Weight	11.4 kg	



# Pruning Secateurs

## Pruning Secateurs

Pruning secateurs are a type of scissors that are used on plants. They are strong enough to prune hard branches of plants and shrubs, sometimes up to two centimetres thick. They are used in gardening, horticulture, farming, flower arranging, and nature conservation, where fine-scale habitat management is required.

### By Pass Type Secateurs

By-pass pruners usually work exactly like a pair of scissors, with two blades "passing by" each other to make the cut. At least one of the blades will be curved: a convex upper blade with either a concave or straight lower one.

### Anvil Type Secateurs

Anvil pruners have only one blade, which closes onto a flat surface; unlike bypass blades, it can be sharpened from both sides and remains reliable when slightly blunt. Useful for cutting thick branches, one can bite into the stem from one direction and swing the handle around and bite further through the narrowed wood from another direction. The anvil is made of a material softer than the blade, so that the blade is not damaged when it meets the anvil.

**PREMIUM**



**FORGCUT-1** (By Pass Type)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles with TPR grip
- Safety lock
- Total length: 220 mm



**REVOCUT** (By Pass Type)

- Stainless steel coil spring
  - Hardened steel blades with rust preventive coating
  - Solid aluminum alloy light weight revolving handles
  - Rubber cushion & shock absorber prevents wrist fatigue
  - Safety lock
- Total length: 215 mm



**MAJOR** (By Pass Type)

- Hardened steel blades with rust preventive coating
- Solid steel handles with soft PVC grip
- Stainless steel coil spring
- Safety lock
- Total length: 225 mm



**PROCUT** (By Pass Type)

- Stainless steel coil spring
  - Hardened steel blades with rust preventive coating
  - Solid aluminum alloy light weight handles
  - Rubber cushion & shock absorber prevents wrist fatigue
  - Safety lock
- Total length: 215 mm



**PREMIUM**



**FPPS-214** (By Pass Type)

- Stainless steel coil spring
  - Hardened steel blades with rust preventive coating
  - Solid aluminum alloy light weight handles
  - Rubber cushion & shock absorber prevents wrist fatigue
  - Safety lock
- Total length: 215 mm



**FPS-210** (By Pass Type)

- Stainless steel coil spring
  - Hardened steel blades with rust preventive coating
  - Solid aluminum alloy light weight handles with soft TPR grip
  - Rubber cushion & shock absorber prevents wrist fatigue
  - Safety lock
- Total length: 200 mm



**FINECUT** (By Pass Type)

- Steel handle with soft grip
- Hardened steel blades with rust preventive coating
- Leaf spring system
- Thumb operated safety lock
- Total length: 200 mm



**FPS-211**

(By Pass Type)

- Hardened steel blades with rust preventive coating
- Solid steel handles with soft PVC grip
- Safety lock
- Total length: 200 mm



**FPS-212**

(By Pass Type)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles with TPR grip
- Safety lock
- Total length: 215 mm



**FPS-213**

(By Pass Type)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles with soft PVC grip
- Safety lock
- Total length: 185 mm



**FCHS-901**

(By Pass Type)

- Designed to cut & hold branches
- Alloy holder & Stainless steel coil spring
- Hardened steel blades with rust preventive coating
- Thumb operated safety lock
- Total length: 225 mm



**FCHM-902**

(By Pass Type)

- Designed to cut & hold branches
- Steel holder & Stainless steel coil spring
- Hardened steel blades with rust preventive coating
- Solid steel handles with soft PVC grip
- Thumb operated safety lock
- Total length: 225 mm



**FCHS-903**

(By Pass Type)

- Designed to cut & hold branches
- Steel holder & Stainless steel coil spring
- Hardened steel blades with rust preventive coating
- Solid steel handles with soft PVC grip
- Thumb operated safety lock
- Total length: 210 mm



**FMTP-01**

(By Pass Type)

- Steel handle with soft grip
- Hardened steel blades with rust preventive coating
- Leaf spring system
- Thumb operated safety lock
- Total length: 185 mm



**FBT-40**

(By Pass Type)

- By pass cutting action & light weight
- Ideal for flowers & bonsai plants, producing a clean cut
- Hardened steel blades
- Comfortable plastic handle
- Safety lock
- Total length: 190 mm



**FBT-45**

(By Pass Type)

- By pass cutting action & light weight
- Ideal for picking fruits, gathering vegetables & herbs, picking flowers and bonsai plants
- Hardened steel blades
- Comfortable plastic handle
- Safety lock
- Total length: 195 mm

# Pruning Secateurs



**FPS-206** (Anvil Type)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles with TPR grip
- Safety lock
- Total length: 215 mm



**FPS-208** (Anvil Type)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles with soft PVC grip
- Safety lock
- Total length: 215 mm



**FPS-209** (Ratchet Type)

- Anvil cutting action
- Hardened & tempered steel blades
- Solid aluminium alloy handles with TPR grip
- Safety lock
- Total length: 190 mm



**FPS-210A** (By Pass Type)

- Steel handle with soft grip
- Hardened steel blades with rust preventive coating
- Leaf spring system
- Thumb operated safety lock
- Total length: 190 mm



**PROFESSIONAL** (Anvil Type)

- Alloy anvil
- Hardened steel blade
- Solid steel handle with soft PVC grip
- Leaf spring system
- Safety lock
- Total length: 225 mm



**SUPER** (Anvil Type)

- Alloy anvil
- Hardened & tempered steel blade
- Solid steel handle with soft PVC grip
- Leaf spring system
- Safety lock
- Total length: 200 mm



**REGULAR** (Anvil Type)

- Alloy anvil
- Hardened steel blade & solid steel blade
- Leaf spring system
- Safety lock
- Total length: 200 mm



**ECONOMY-M2** (Anvil Type)

- Hardened & tempered steel blades
- Solid steel handle with soft PVC grip
- Leaf spring system
- Safety lock
- Total length: 200 mm



**ECONOMY-M3** (Anvil Type)

- Alloy anvil
- Hardened & tempered steel blades
- Solid steel handle with soft PVC grip
- Leaf spring system
- Safety lock
- Total length: 165 mm



## Thinning Shears



**FTS-606** (Tough Handy Grape Shear)

- Stainless steel blades & plastic grip
- Special angle grinded blades
- Grip for both right & left handle
- Total length: 150 mm



**FTS-707** (Tough Handy Grape Shear)

- Stainless steel blades & plastic grip
- Special angle grinded blades
- Grip for both right & left handle
- Total length: 140 mm



**FSC-98** (Tough Shear)

- Stainless steel blades for a clean short cut
- Ergonomic comfort handle
- Total length: 170 mm

## Bonsai Shears



**FTS-808** (Tough Shear)

- Stainless steel blades
- Spring action
- Nylon handle with safety lock
- Total length: 190 mm



**FBT-50** (For Bonsai & Clean Cut)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles W/TPR
- Safety lock
- Total length: 195 mm



**FBT-60** (For Bonsai & Clean Cut)

- Hardened steel blades with rust preventive coating
- Engineering plastic handles W/TPR
- Safety lock
- Total length: 175 mm

## Fruit & Vegetable Harvester



**FKC-91** (For Hard Stems)

- Hardened & tempered concave steel blades
- Helical spring action
- Nylon handle
- Total length: 155 mm  
(Falcon Kinnu Harvester)



**FKC-92** (For Hard Stems)

- Drop forged hardened steel handle
- Concave hardened steel blades
- PVC soft grip
- Total length: 140 mm



**FPRC-100** (For Fruits & Vegetables)


- Easy to use
- Finger ring to work easy and without harm to vegetables
- Light weight

# Manual Grafting Machines



**FPGT-2002**

(Slot Graft)



**FPGT-2003**

(Omega Graft)



**FPGT-2004**

(Bud Graft)



**What is Grafting:** The principle of grafting is to join the grafting stock to the root stock of another and make them a single living unit. This new plant will have the fruiting and flowering ability of the grafting stock with the strength and growing qualities of the root stock.

**Where and when to start:** Grafting is carried out in spring season. Choose your grafting stock the stems you want to graft with new roots only from the shoots that have grown in the previous year.

# Gardening Knives



Use the pruning knife to cut back unwanted growth in a vine such as this by holding a leaf away from you, putting tension on the stem and cutting with a sharp slicing motion away from your body. Keep the plant healthy by cutting stems at least 1/2 inch away from the branch from which they're growing.



**FBGK-60**

(Bud & Grafting Knife)

- For accurate cut when budding & grafting
- Stainless steel two blades & one brass budder
- Nylon comfortable grip



**FPK-80**

(Patching Knife)

- For plants patching
- Stainless steel hardened blades
- Two knives
- Nylon comfortable grip



**FGK-50** (Grafting Knife)

- For accurate cut when grafting
- Plants budding and grafting
- Stainless steel blade & one brass budder
- Nylon comfortable grip



**FPK-70** (Pruning Knife)

- For plants pruning
- Stainless steel hardened blade
- All corrosion resistance fitting
- Nylon comfortable grip



**FMK-904** (Mushroom Knife)

- For mushroom cutting & sorting out
- Stainless steel hardened blade
- Rust free blade
- Nylon comfortable plastic grip



**SPG-98** (Girdler)

- For removal of strips of bark
- Girdling size 4 mm to 16 mm available
- With scraper
- High carbon steel hardened blade
- Wooden grip



**SPG-99** (Girdler)

- For removal of strips of bark
- Girdling size 2mm
- With scraper
- High carbon steel hardened blade
- Nylon grip



**FEK-20** (Garden Edger)

- For weeding between paving bricks/rocks
- Hardened & tempered coated steel blade
- Comfortable plastic nylon grip



**FPTS-13** (Tea Pruner)

- For tea & coffee garden
- High carbon steel hardened blade
- Wooden grip
- Blade size: 85 mm
- Total length: 300 mm



**FPTM-16** (Small Bill Hook)

- For tea & coffee garden
- High carbon steel hardened blade
- Nylon plastic grip
- Blade size: 145 mm
- Total length: 300 mm



### SPLS-7006

FALCON Lopping Shears are powerful By Pass type loppers, Ideal for live & soft branches, producing a clean cut.

- Shearing type
- Hardened & tempered steel blades
- Tubular steel handles with PVC grips
- Total length : 380 mm



### SPLS-7007

FALCON Lopping Shears are powerful Anvil type loppers, Ideal for live & soft branches, producing a clean cut.

- Anvil rol-cut type
- Hardened & tempered steel blades
- Tubular steel handles with PVC grips
- Alloy anvil
- Total length : 705 mm



### SPLS-7008

FALCON Lopping Shears are powerful By Pass type loppers, Ideal for live & soft branches, producing a clean cut.

- Shearing type
- Hardened & tempered steel blades
- Tubular steel handles with PVC grips
- Total length : 730 mm





## SPLS-7009

FALCON Lopping Shear has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Anvil rol-cut type
- Hardened & tempered steel blades
- Tubular steel handles with PVC grips
- Alloy anvil
- Total length : 700 mm



## FPLS-7010

FALCON Lopping Shear has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Shearing type
- Hardened & tempered steel blades
- Tubular steel handles with PVC grips
- Total length : 700 mm



**NEW**



## 2X GEAR

FALCON 2X Gear has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Light weight
- Easy to use
- Rust resistance
- Stainless steel blades
- Engineering plastic handles
- Total length : 550 mm



## 2X GEAR (C)

FALCON 2X Gear has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Light weight
- Easy to use
- Rust resistance
- Carbon steel blades
- Engineering plastic handles
- Total length : 550 mm



## 2X GEAR PLUS

FALCON 2X Gear Plus has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Light weight
- Easy to use
- Rust resistance
- Carbon steel blades
- Telescopic Aluminium alloy handles
- Total length : 560-760 mm



## 2X GEAR PRO

FALCON 2X Gear Pro has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Light weight
- Easy to use
- Rust resistance
- PVC Grip
- Stainless steel blades
- Aluminium alloy handles
- Total length : 750 mm



## 2X GEAR PRO (C)

FALCON 2X Gear Pro(C) has a gear mechanism which gives maximum cutting power with less effort. It gives a clean and accurate cut for the protection and growth of the trees.

- Light weight
- Easy to use
- Rust resistance
- PVC grip
- Carbon steel blades
- Aluminium alloy handles
- Total length : 750 mm



# Hedge Shears



## FORGCUT-12

Useful for trimming hedges when neat wall of foliage is required.

- Blade Size: 240 mm
- Wooden Handle
- Hardened forged steel blades
- Rust preventive coating
- Total length: 540 mm

**PREMIUM**



## FPHS-2022

Useful for trimming hedges when neat wall of foliage is required.

- Blade Size: 250 mm
- Tubular steel handles with comfortable soft grip
- Hardened steel blades
- Rust preventive coating
- Total length: 625 mm

**PREMIUM**



## FPHS-2023

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 280 mm
- Steel handle with soft grip for comfort cutting
- Extendable Type
- Hardened steel blades
- Rust preventive coating
- Total length: 640-855 mm

**PREMIUM**



## FHS-2021 (3 in 1 Hedge Shear)

Useful for trimming hedges when neat wall of foliage is required.

- Wavy Blades
- Blade size: 210 mm
- Telescopic aluminium alloy handles with soft grip for comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 720 930mm

**NEW**



## FHS-2015

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 310 mm
- Plastic handle with soft PVC grip for comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 650 mm



## FHS-2016

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 310 mm
- Telescopic aluminium alloy handles with soft grip for comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 650-900 mm



## FHS-2017

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 140 mm
- Tubular steel handles with PVC grip
- Light weight easy to use
- Shock absorber
- Hardened steel blades
- Rust preventive coating
- Total length: 645 mm



## FHS-999(P)

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 250 mm
- Engineering plastic handle with innovative design for extra comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 535 mm



### FHS-999(W)

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 250 mm
- Wooden handle for comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 535 mm



### FHS-888

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 250 mm
- Wooden handle with soft grip for comfort cutting
- Hardened steel blades
- Rust preventive coating
- Total length: 570 mm



### FHS-777

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 250 mm
- Tubular steel handle with soft PVC grip
- Hardened steel blades
- Rust preventive coating
- Total length: 570 mm



### FHS-666

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 200 mm
- Wooden handle ideal for small gardens
- Hardened steel blades
- Rust preventive coating
- Total length: 420 mm



### FHS-1010

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 250 mm
- Plastic handle with innovative design for extra comfort cutting
- Gear mechanism for less effort
- Hardened steel blades
- Rust preventive coating
- Total length: 535 mm



### FHS-2012

Useful for trimming hedges when neat wall of foliage is required.

- Blade size: 280 mm
- Engineering plastic handle with innovative design for extra comfort cutting
- Serrated & hardened steel blades
- Shock absorber
- Rust preventive coating
- Total length: 580 mm



### FGS-2000

(Grass Shear)

Useful for cutting grass & small edges.

- Blade size: 175 mm
- Versatile 3 positions blade swivel for easy cutting in horizontal, diagonal or vertical
- Hardened steel blades
- Rust preventive coating
- Convenient safety lock



### FPGS-2100

(Grass Shear)

Useful for cutting grass & small edges.

- Blade size: 195 mm
- Steel blade swivel 180 degree for easy cutting in horizontal, diagonal or vertical
- Spring action design
- Hardened steel blades
- Rust preventive coating
- Convenient safety lock



**PREMIUM**

### FPLP-241

(Tea Leaf Plucking Shear)

Useful for tea gardening with reduced labour. Plucking & gathering together without the wastage of tea leaves covering more area with less effort.

- Blade size: 200 mm
- Tubular steel handles with PVC grip
- Hardened steel blades
- Rust preventive coating
- Total length: 420 mm



# Pruning Saws



## FPPS-25

FALCON fold away pruning saw with double action teeth. Ideal for general purpose cutting & pruning branches.

- Folding plastic handle with soft TPR grip
- High carbon steel blade
- Triple Ground hardened tooth tips
- Cutting blade size: 250 mm



## FPS-18

FALCON fold away pruning saw with double action teeth. Ideal for general purpose cutting & pruning branches.

- Folding plastic handle
- High carbon steel blade
- Triple Ground hardened tooth tips
- Cutting blade size: 150 mm



## FPS-21

FALCON fold away pruning saw with double action teeth. Ideal for general purpose cutting & pruning branches.

- Folding steel handle with rubber comfort grip
- High carbon steel blade
- Triple Ground hardened tooth tips
- Cutting blade size: 235 mm



## FPS-30

FALCON fold away pruning saw with double action teeth. Ideal for general purpose cutting & pruning branches.

- Folding steel handle
- High carbon steel blade
- Rubber comfort grip
- Double action hardened tooth tips
- Cutting blade size: 300 mm



## FFS-300

FALCON pruning saw with folding handle. Ideal for general purpose cutting & pruning branches.

- High carbon steel blade
- Hardened tooth tips
- Folding wooden handle
- Cutting blade size: 310 mm



## FPS-100

FALCON pruning saw with double action teeth. Ideal for general purpose cutting and pruning branches.

- Fixed plastic handle
- High carbon steel blade
- Double action hardened tooth tips
- Cutting blade size: 254 mm



## FS-555, FS-333 & FPSN-303

FALCON fixed handle pruning saw with special teeth. Ideal for general purpose cutting & pruning branches.

- High carbon steel blade
- Engineering plastic handle
- Hardened tooth tips
- Cutting blade size: 460 mm, 380 mm & 380 mm respectively



# Tree Pruners, Fruit Gatherer & Catcher



## Tree Pruners

FALCON Tree Pruners are used for pruning of branches from tree with less effort without using ladder.

**FTP-222** (without pruning saw and without handle)

**FTP-224** (with pruning saw)

**FTP-223** (without pruning saw and with aluminum pipe length 6 feet)

**FTP-2232** (without pruning saw and with light weight fibre glass telescopic handle)

**FTP-225** (with pruning saw and with aluminum pipe length 6 feet)

- Light weight
- Easy and convenient to use
- Max. cutting capacity 20 mm
- Extension pipe aluminum alloy Length:1830 mm long
- Extra strong nylon rope



## Tree Pruners

FALCON Tree Pruners are used for pruning of branches from trees with less effort & without using ladder.

**FTP-220** (with pruning saw and telescopic handle)

**FTP-221** (without pruning saw and with telescopic handle)

- Easy and convenient to use
- With telescopic handle
- Light weight fibre glass handle
- Telescopic Aluminum & Fiber pole Length: 2210~3650 mm
- Extra strong nylon rope



## Fruit Gatherers

FALCON Fruit Gatherers make fruit picking easier and convenient.

**FFG-231** Small (with 6 feet aluminum pole)

**FFG-232** Small (without pole)

**FFG-226** (without pole)

**FFG-227** (with 6 feet aluminum Pole)

**FFG-233** (with telescoping aluminum & fiber handle)

- Light weight
- Easy and convenient to use
- For picking fruits
- Extension pipe aluminum alloy Length:1830 mm long
- Extendable handle aluminum alloy Length: 2210~3650 mm



# Fruit Catchers



## Fruit Catchers

FALCON Fruit Catchers make fruit picking easier and convenient.

**FPFC-228** (without extension pipe)

**FPFC-229** (with extension pipe)

- Light weight
- Easy and convenient to use
- For plucking & picking fruits
- Extension pipe D type, aluminum alloy Length: 1830 mm long



FPFC-228

## Fruit Picker

FALCON Fruit picker designed for picking of fruit directly from the tree.

**FFP-230** (without extension pipe)

- Small tines with solid metal prongs
- Sturdy catch bag
- Optional Telescopic handle, picking height-5 metres (approx).
- Optional attachment for Multipower & Multipower Pro



FFP-230



FPFC-229

# Mango Harvester

## Mango Harvester

FALCON Mango harvester fruit picker designed for picking of fruit directly from the tree.

**FMH-2204** (without extension pipe)

**FMH-2205** (with extension pipe)

- Lightweight & Easy to use
- Handmade Cotton net
- Replaceable sharp blades
- Optional Telescopic handle, picking height: 2100~3500 mm (approx).



FMH-2204

**NEW**



FMH-2205 Length: 2100~3500 mm

# Pole Pruners & Arica Nut Harvester

**NEW**

FALCON Pole Pruners are used for pruning of branches from tree with less effort without using ladder.

**FPPS-3600** (with extendable handle)


**FPAH-2207** (with extendable handle)



**FPS-48** Pruning Saw

(without extendable handle)

- Light weight
- Easy and convenient to use



Triple Ground Teeth

FPS-48

FPPS-3600 Length: 2370~3770 mm

FPAH-2207 2060~3430 mm

# Long Reach Telescopic Pruning Saw

FALCON offers state of the art, heavy duty, aluminum telescopic pruning pole saw with excellent performance. This pole saw is specially designed for professionals and ideal for pruning high and hard to reach branches. The chrome plated curved blade with tripple ground double action teeth make this saw exceptionally fast and easy to use. Its thick aluminum alloy extension pole is oval shaped with non slip rubber grip providing precise control over the direction of the blade. This saw is available with a hooked end to the blade which helps keep the saw on the branch when cutting at heights.

**FPPS-40**

- Overall Length: 1330~4000 mm
- Weight: 2 kg

**FPPS-64**

- Overall Length: 2850~6385 mm
- Weight: 2.80 kg



FPPS-40 Length: 1330 mm

FPPS-40 Length: 1720 mm

FPPS-40 Length: 4000 mm

FPPS-64 Length: 2850 mm

FPPS-64 Length: 6385 mm

# Multi Power Long Reach Pruners




## MULTI POWER

- FALCON Garden Tools has introduced a Multi Power range of long reach pruners for clean cutting of green limbs from trees safely, with less effort, without using ladder.
- Multi Power can cut at different angles.



## MULTI POWER PRO

- Multi Power Pro Telescopic is new kind of Pruner. It's height can be extended easily as it has a telescopic handle and is used for clean cutting of green limbs from trees, with less effort, without using ladder.
- Multi Power Pro Telescopic can cut at different angles also.



## Long Reach Pruners

NEW

For pruning where hand pruners can't go.



Cut & Hold



# Shovels, Digging Fork & Spades

## FRS-2500

(Shovel with wooden handle)

## FSS-4000

(Shovel with wooden handle)

For Digging in unprepared ground.

- Turning soil without damaging roots
- Wooden handle with D-Type grip
- Rust preventive coating
- Easy to use

NEW



FRS-2500



FSS-4000

## FSS-4001

(Shovel with fiber glass handle)

## FRS-3000

(Shovel with fiber glass handle)

For Digging in unprepared ground.

- Hardened & tempered steel blade with rust preventive coating
- Round & Square head
- Light weight fibre glass handle
- D-Type grip



FSS-4001



FRS-3000

## FSS-4002

(Shovel with fiber glass handle)

## FRS-3002

(Shovel with fiber glass handle)

For Digging in unprepared ground.

- Hardened & tempered steel blade with rust preventive coating
- Round & Square head
- Light weight fibre glass handle
- D-Type grip



FSS-4002



FRS-3002

## AGRI SPADES

### SPKW-25

(with handle)

### SPK-25

(without handle)

### SPKW-50

(with handle)

### SPK-50

(without handle)

- Ideal for digging or loosening soil
- Wooden handle 900 mm
- Hardened & tempered steel blade with rust preventive coating

### SPKW-1000

(with handle)

### SPK-1000

(without handle)

### SPKW-2000

(with handle)

### SPK-2000

(without handle)

- Designed for digging unprepared ground
- Wooden handle 900 mm
- Heavy duty
- Rust preventive coating

### SPDF-8900

(Digging Fork with wooden handle)

- Turning soil without damaging roots
- Wooden handle with D-Type grip
- Rust preventive coating, light weight



SPDF-8900

### FSS-4003

(Aluminum square head)

### FSS-4004

(Engineering plastic square head)

- Useful for soil, snow & grains.
- With square head fiber glass handle with D grip.
- Light weight.



FSS-4003



FSS-4004

# Sickles, Bill Hooks, Sword & Pruners

A traditional tool for cutting wheat, paddy and grass.



**FPK-181**  
(PAHARI KUDAL)



**SGS-2008**  
(GRASS SWORD)



**FPP-703**  
(PALM PRUNER)



**FCP-704**  
(COCONUT PRUNER)



**FBH-705**  
(BILL HOOK)



**FBH-706**  
(BILL HOOK)



**FPKM-100**  
(KHURPI)



**FPKM-200**  
(KHURPI)



**FPKM-300**  
(KHURPI)



**FPKM-500**  
(KHURPI)



**FPKM-400**  
(SICKLE)



**SPS (P)-3030**  
(SICKLE)



**SPS (W)-3040**  
(SICKLE)



**FPS-191**  
PAHARI SICKLE  
(Small)



**FPS-193**  
(PAHRI SICKLE BIG)



**NEW**



## SHOVEL FOLDING TYPE

### FFAS-5000 (3 IN 1)

For Digging, Aerating & Loosening

### FFAS-6000 (2 IN 1)

For Digging & Aerating

- Folding, compact & portable
- Hardened & tempered steel head with rust preventive coating
- Handy for camps, sports grounds, etc.



## Scythe

### FSWH-3035 (with steel handle & grip)

Designed for mowing hay fields, maintaining lawns, cutting grains for human or animal feed.

**NEW**



## Hoop Hoe

### FHH-302 (without handle)

Design to remove weeds & stir the soil between rows.

### FHHR-3020 (with steel handle & grip)

Design to remove weeds & stir the soil between rows.

**NEW**



## Garden Hoe

Designed for hoeing, aerating and levelling the soil.

### FGH-2 (without handle)

### FGWH-200 (with steel handle & grip)

- Designed for working in hard soil
- 760 mm tubular steel handle with comfortable plastic grip



## Garden Hoe

Designed for hoeing, aerating and leveling the soil.

### FGH-1 (without handle)

### FGWH-100 (with steel handle & grip)

- Designed for working in hard soil
- 760 mm tubular steel handle with comfortable plastic grip



## Onion Hoe

Designed for working in hard soil area.

### FOH-507 (without handle)

### FOWH-5070 (with steel handle & grip)

- Designed for working in hard soil
- Also for earthing up potatoes & onions
- 900 mm tubular steel handle with plastic grip



## Dutch Hoe

Designed for hoeing between seeding, plants and shrubs.

### FH-514 (without handle)

### FWH-5140 (with steel handle & grip)

- Slightly angular blades for keeping weeds down
- 1000 mm tubular handle with comfortable grip



## Cultivator

Designed for weeding & cultivation in one action.

### FCH-306 (without handle)

### FCWH-3066 (with steel handle & grip)

- Designed to breakup compact ground, Ideal for weeding & cultivating
- 900 mm tubular steel handle with comfortable plastic grip







For Raking,  
Leveling beds and Soil Preparation.

- Epoxy powder coated
- 8 to 16 teeth with or without handle
- 990 mm tubular handle with comfortable plastic grip

**FGR-8/FRWH-8**

(8 Teeth without/with handle)

**FGR-10/FRWH-10**

(10 Teeth without/with handle)

**FGR-12/FRWH-12**

(12 Teeth without/with handle)

**FGR-14/FRWH-14**

(14 Teeth without/with handle)

**FGR-16/FRWH-16**

(16 Teeth without/  
with handle)



**3 in 1 Rake**

Multipurpose tool for breakup compacted ground, raking & levelling beds.

**FGR-3-1** (without handle)

**FGR-3-1(H)** (with handle)

- Used as rake, spade, hoe
- Wooden handle
- Hardened and tempered steel blades
- Light weight easy to use



**SPRING BRACE RAKE**

For raking dry leaves, weeds & grass cutting.

**FSBR-48**

- Spring brace rake
- Steel tubular handle
- Adjustable leaf rake
- Powder coated
- PVC grip




**PLASTIC LEAF RAKE**

For raking leaves, weeds & grass cutting in beds.

**FPLR-49**

- Engineering plastic rake
- Steel tubular handle with PVC grip



**PLASTIC LEAF RAKE**

For raking leaves, weeds & grass cutting in beds.

**FPLR-50**

- Engineering plastic rake
- Steel tubular handle with PVC grip



**PLASTIC LEAF RAKE**

For raking dry leaves, weeds & grass cutting.

**FWHR-9**

- Wired hand rake
- High quality steel
- Comfortable wooden handle





# Hand Cultivators, Rakes, Weeders & Tillers

FALCON introducing new range of products which are essential for agricultural, horticulture and gardening work and are very helpful to the small farmers, horticulturists and gardeners to work with more ease and comfort.

## HAND CULTI-RAKE

Hand Culti-Rake is having cultivator & rake. Cultivator is very useful for aerating and loosening the soil and Rake is used to remove weeds.

**FCRH-304** (without handle)

**FCRH-3044** (with steel handle & grip)

- Designed for loosening and getting rid of weeds
- Also for earthing up potatoes & onions
- Tubular steel handle with comfortable plastic grip Length-1220 mm (48")
- Light weight and easy to use



## HAND CULTIVATOR 3 PRONG

Ideal for weeding and cultivating in one action.

**FCH-303** (without handle)

**FCHW-3033** (with steel handle & grip)

- Designed for weeding and cultivating
- Tubular steel handle with comfortable plastic grip Length-1220 mm (48")
- Light weight and easy to use



## HAND CULTIVATOR SINGLE PRONG

Designed for plant-sparing work in very narrow rows.

**FCH-301** (without handle)

**FCHW-3011** (with steel handle & grip)

- Designed for plant-sparing work in very narrow row
- Tubular steel handle with comfortable plastic grip Length-1220 mm (48")
- Light weight and easy to use



## HAND RIDGER

Designed for ridging potatoes, beans, onions, etc.

**FHRW-521** (without handle)

**FHRW-5210** (with steel handle & grip)

- Designed for ridging potatoes, beans, onions, etc.
- Tubular steel handle with comfortable plastic grip Length-1220 mm (48")
- Light weight and easy to use



\*Also available in Fiber & Aluminium Handles.



## WEEDING CULTIVATOR

Designed to remove weeds and useful for aerating & loosening the soil, earthing up potatoes, onions, etc.

**FCH-307** (without handle)

**FCHW-3077** (with steel handle & grip)

- Designed to remove weeds and stir the soil
- Tubular steel handle with comfortable plastic grip  
Length-1220 mm (48")
- Light weight and easy to use



## HAND SOIL TILLER

Designed for seed-bed preparation, soil loosening.

**FGHT-308** (without handle)

**FGHT-3088** (with steel handle & grip)

- Designed for seed-bed preparation, soil loosening
- Tubular steel handle with comfortable plastic grip  
Length-1220 mm (48")
- Light weight and easy to use



## HAND SOIL TILLER WITH WEEDING BLADE

Designed for seed-bed preparation, soil loosening and weeding.

**FGHT-309** (without handle)

**FGHT-3099** (with steel handle & grip)

- Designed for seed-bed preparation, soil loosening & weeding
- Tubular steel handle with comfortable plastic grip  
Length-1220 mm (48")
- Light weight and easy to use



## GARDEN BOW RAKE

Essential for final soil preparation, ideal for small to large areas.

**FBR-0110** (10-Teeth, without handle)

**FBRH-0111** (10-Teeth, with steel handle & grip)

- Designed for final soil preparation, ideal for small to large areas
- Tubular steel handle with comfortable plastic grip  
Length-1220 mm (48")
- Light weight and easy to use



## GARDEN BOW RAKE

Essential for final soil preparation, ideal for small to large areas.

**FBR-0120** (12-Teeth, without handle)

**FBRH-0121** (12-Teeth with steel handle & grip)

- Designed for final soil preparation, ideal for small to large areas.
- Tubular steel handle with comfortable plastic grip  
Length-1220 mm (48")
- Light weight and easy to use



\*Also available in Fiber & Aluminium Handles.

## Post Hole Diggers/Augers

Manual operated Post Hole Digger, Designed for Digging & Scooping



### Specifications

Model	FPHD-1902	FPHD-1904	FPHD-1906
Design & Type	Post Hole Digger/Auger	Post Hole Digger/Auger	Post Hole Digger/Auger
Digs Upto	2 Feet Deep	2 Feet Deep	2 Feet Deep
Diameter	2" Diameter	4" Diameter	6" Diameter

## Snake Catchers



FALCON Snake Catcher is suitable for farmers, gardeners, mountaineers, snake lovers, etc. The purpose of this snake catcher is to catch live snakes safely. Soft catch grips do not hurt the snake, and the long pole keeps it away at a safer distance. It is lightweight and easy to use. This snake catcher is made of high-quality steel blades to ensure its durability, high strength, and solid structure. This catcher is an indispensable tool to catch snakes and is available in two sizes, i.e., 4 feet and 6 feet.

## Snake Rescue Hooks & Bag

Designed to rescue snakes without harm to the species.



Model	FSRH-136	FSRH-148	FSRB-135
Design & Type	Snake Rescue Hook	Snake Rescue Hook	Snake Rescue Bag
Handle Length	36"	48"	48"
Material	Steel Handle with plastic grip	Steel Handle with plastic grip	Cotton, Steel handle with plastic grip

# Combi Quick Multi Tools and Handles



New Addition! Falcon CombiQuick Handle & Tools helps you unlock a whole gardening experience with multiple tools and one single handle! The interchangeable attachments simplify your gardening experience with innovative and quality tools required for all-year gardening activities. For any gardening challenge, any season, CombiQuick is your all-in-one solution.

Attach 15+ tools with one ergonomic handle coming in two sizes 36" & 48". Choose between our Straight and D-Grip handles. Embrace the future of professional gardening with FALCON and make every garden task a breeze! Adding more versatile tools to the series soon!



**FPCH-307CQ**  
(Weeding Cultivator)

Designed to remove weeds and useful for aerating & loosening the soil, earthing up potatoes, onions, etc.



**FPCR-304CQ**  
(Hand Culti-Rake)

Hand Culti-Rake is having cultivator & rake. Cultivator is very useful for aerating and loosening the soil and Rake is used to remove weeds.



**FPBR-521CQ**  
(Hand Ridger)

Designed for ridging potatoes, beans, onions, etc.



**FPCH-303CQ**  
(Hand Cultivator 3 Prong)

Ideal for weeding and cultivating in one action.



**FPHT-309CQ**  
(Hand Soil Tiller With Blade)

Designed for seed-bed preparation, soil loosening and weeding.



**FPHT-308CQ**  
(Hand Soil Tiller)

Designed for seed-bed preparation & soil loosening.



**FPBR-0110CQ**  
(Garden Bow Rake 10 Teeth)

Essential for final soil preparation, ideal for small to large areas.



**FPBR-0120CQ**  
(Garden Bow Rake 12 teeth)

Essential for final soil preparation, ideal for small to large areas.



**FPLE-522CQ**  
(Lawn Edge Cleaner)

Straighten your lawn edges with ease using the lawn edge cleaner. Its sharp blade and comfortable grip make lawn care simple.



**FPWE-523CQ**  
(Weed Extractor)

Designed to remove deep roots and weeds from all types of soil.



**FPPW-524CQ**  
(Push Pull Weeder)

This push/pull weeder has a dual-edge blade that cuts weeds just below the soil in both directions.



**FPDF-890CQ**  
(Garden Fork)

This garden fork is perfect for planting and transplanting. Its strong tines easily dig through tough soil and are also great for weeding.



**FPHH-302CQ**  
(Hoop Hoe)

Design to remove weeds & stir the soil between rows.



**FPOH-507CQ**  
(Onion Hoe)

Designed for working in hard soil. Also for earthing up potatoes & onions.



**FPCH-301CQ**  
(Cultivator Single Prong)

Designed for ridging potatoes, beans, onions, etc.



**FPGH-200CQ**  
(Garden Hoe)

Designed for hoeing, aerating and levelling the soil.



**S36CQ**  
(Handle Combi Quick) (Steel Handle 36 inch)

With a sturdy and strong grip, our versatile straight 36-inch steel handle can attach 15+ tools making farming easier for you.



**S48CQ**  
(Handle Combi Quick) (Steel Handle 48 inch)

Pair 15+ tools with our versatile 48-inch straight steel handle that features a sturdy, strong grip.



**D36CQ**  
(D-Grip Handle Combi Quick) (Steel Handle 36 inch)

Offering ease of use and durability, the Combi Quick 36-inch D-grip handle makes farming task handling effortless.



**D48CQ**  
(D-Grip Handle Combi Quick) (Steel Handle 48 inch)

The Combi Quick D-grip handle makes handling farming tasks effortless, featuring a 48-inch steel body for durability and ease of use.



# Folding Ladder


## ALUMINUM FOLDING LADDER FPAL-2011

Ideal for Horticulture, Home & Garden use.

- Approx. weight 13.4 kg
- Aluminum body with robust steel hinge
- Pack size (cm) 98 x 36 x 26










Easily converts into variety of configurations.



PP+TPR  
Slip-resistant Foot

Step 4x3

Spacing between rungs 280 mm

Total Steps	Extension Length	A Height	Scaffold Height	Folded Width	Step Height	Max Load
						
4 x 3	361 cm	177 cm	100 cm	36 cm	28 cm	150 kg



## Garden Hand Tools

### WEEDER, HAND CULTIVATOR, WEEDING FORK, DIGGING TROWEL (Small & Large)

Garden hand tools designed for rooting out weeds, for row making, for cultivating, for planting & transplanting.



# Khurpas



## KHURPA

For loosening and weeding of soil.



(with plastic/wooden Handle)

**SPK-1100**

**SPK-1200**

**SPK-1500**

**SPK-1800**

**SPPL-12**

(\*SPKH Hardened Steel with plastic/wooden Handle)

**SPKH-1100**

**SPKH-1200**

**SPKH-1500**

**SPKH-1800**



## KHURPA

For loosening and weeding of soil.



**SPS-1000**



**SPS-2000**



**SPS-3000**



**FGHS-10**



**FGHS-20**



**FGT-1000**

Falcon Garden Tool 10 pcs. Set

- It can be used for sitting purpose while gardening
- Containing: Pruning Secateur (Shearing Type), Pruning Secateur (Rolcut Type), Double Action Pruning Saw, Bulb Planter, Hand Hoe, Big Trowel, Small Trowel, Weeding Fork, Hand Cultivator, Hand Weeder



**FGT-1100**

Falcon Garden Tool 11 pcs. Set

- A well balanced selection of quality tools packed in heavy duty folding bag, essential kit for all garden lovers
- Containing: Grass Shear, Pruning Secateur, Hedge Shear, Pruning Saw, Hand Hoe, Bill Hook, Trowel, Khurpa (S), Khurpa (M), Weeder, Garden Edger

**FGT-1200**

Falcon Garden Tool 12 pcs. Set

- Pruning Secateur (Shearing Type), Hedge Shear, Double action, Pruning Saw, Pruning Secateur (Rolcut Type), Hand Hoe, Bill Hook, Trowel, Khurpa (S), Khurpa (M), Weeder, Garden Edger, Thinning Scissor



**FGT-1500**

Falcon Garden Tool 15 pcs. Set

- A well balanced selection of quality tools packed in heavy duty strolley bag, essential kit for all garden lovers
- Containing: Hedge Shear, 2X Gear By-Pass Lopper, Bill Hook, Bulb Planter, Pruning Secateur (Shearing Type), Pruning Secateur (Rolcut Type), Rose Thorn Remover, Double Action Pruning Saw, Bulb Planter, Weeding Fork, Big Trowel, Small Trowel, Hand Cultivator, Hand Weeder, Hand Hoe



# Garden Tool Box & Accessories



## FGTB-94/5, FGTB-95/5

Falcon Garden Tool 5 pcs. Set

- Black powder coated
- With fixed comfortable plastic handle
- An essential 5 pcs. garden kit for weeding, transplanting, cultivating & rowing



## FGT-31

Falcon Garden Tool 4 pcs. Set

- Designed for home gardener
- Containing: Pruning Secateur, Trowel, Cultivator, Khurpa



## FGT-41

Falcon Garden Tool 4 pcs. Set

- Designed for home gardener
- Containing: Pruning Secateur, Trowel, Cultivator, Khurpa



## FGT-42

Falcon Garden Tool 4 pcs. Set


- Designed for home gardener
- Containing: Pruning Secateur, Pruning Saw, Garden Edger, Trowel



## FBGT-1234

Falcon Bonsai Tools 4 pcs. Set

- Bonsai Big Trowel
- Bonsai Small Trowel
- Bonsai Rake
- Bonsai Cutter



## FPHG-37

Essential accessory for every gardener

- Working hand gloves
- Standard fit



## Accessories & Specific Tools



### FPHG-18

### FPHG-18

Essential accessory for every gardener

- Working leather waist belt with two pockets & tool holder
- Fit to every size of waist



### FPHG-24

Essential accessory for every gardener

- Working leather waist belt with two pockets & extra capacity
- Fit to every size of waist



### FPHG-34

Essential accessory for every gardener

- Working cotton waist belt with two pockets
- Fit to every size of waist



## Specific Tools



### FPMS-1990

MAIZE SHELLER

For separating corns from corn stick.



### FPHG-36

Essential accessory for every gardener

- Working cotton apron belt with two pockets
- Fit to every size of waist



### FPTR-27

ROSE THORN REMOVER

For removing thorns.



### FPHG-12

Essential accessory for every gardener

- Working leather waist belt with one pocket
- Fit to every size of waist



### FPBP-21

BULB PLANTER

Designed for digging pot holes for bulbs.





# Notes

A series of horizontal dotted lines spanning the width of the page, providing a template for writing notes.



**FALCON GARDEN TOOLS PVT. LTD.**

(AN ISO 9001:2015 CERTIFIED COMPANY)

Alamgir, Malerkotla Road, Ludhiana-141116, Punjab (India)  
Tel: +91-161-2811899, 2494840 | E-mail: info@falcontools.com

[www.falcontools.com](http://www.falcontools.com)

Company policy is to make continuous improvements and developments. We reserve the right to amend or change specifications and design without prior notice.